

***Oakland City Planning Commission  
Design Review Committee***

---

**MEMO**

Date: 9/27/2023  
To: Design Review Committee  
From: Malinda Lim, Contract Planner  
Through: Catherine Payne, Development Planning Manager  
Subject: PLN15378-PUDF10  
Oak Knoll Development – Parcel 24; 8750 Mountain Boulevard

Dear Committee Members:

The Oak Knoll Development – Parcel 24 proposal by WHA Inc. for the construction of 25 detached single-family residences had previously appeared before the Design Review Committee on July 26, 2023. At the hearing, the Committee was in support of the Conditional Use Permit to allow detached single-family homes and an exception for the reduction of the private driveways. In addition, comments on the building design were provided by staff and the Committee. The applicant stated that there was consideration of other architectural styles to be incorporated into the revised Final Development Plan.

The Committee had requested that the applicant address comments raised during the hearing and return to a future Committee hearing date prior to proceeding to the Planning Commission on the development application. Below is a list of comments provided by the Committee:

- 1) *Modify the home designs to demonstrate a wider variation within each of the three architectural styles. The Mediterranean/Mission style was expressed as one of the best-looking designs but required additional variation between the three Mediterranean/Mission elevations.*

The applicant has provided an additional façade design for the Mission and Craftsman architectural styles. Instead of providing an additional Farmhouse design, the applicant has provided one Arts and Craft building design. Each of these new facades has two different color schemes. Please see Sheet A2 of Attachment A for street and Creekside views.

- 2) *In order to achieve a greater variation with each architectural style, the Committee suggested the following:*
  - a. *Change the floor plans to accommodate diversity in façade styles.*  
Plan 1A changes the interior entry area on the first floor through the shifting of the entry doorway, relation of the window from the front elevation to the side elevation, and removal of the landing for the stairs. This interior change is reflected on the exterior.

- b. *Exterior treatments to the buildings should incorporate more variation in materials, color, and ornamentation.*

The three new façade designs provide new design elements for each architectural style. The Mission style incorporates decorative metal rails for the balconies and a metal screen for a window, the Craftsman design has exposed rafter tails and variations in siding size and direction, and the Arts and Crafts introduces a new architectural style to the parcel with horizontal and vertical boards to help bring texture to the building's façade. These changes are shown on Sheet A3 of Attachment A and are an improvement to the street and Creekside views.

- c. *Modify the roof forms to change the appearance of the home.*

The new façade designs also incorporate new roof forms to help distinguish it from the other building designs. For the new Mission design, a decorative parapet is added to help break the roofline. The new Craftsman design has two gable roofs at the center with different pitches to help break up the building plane and add dimension. These changes to the roof forms help to distinguish it from the other designs within the same architectural style.

- 3) *The building designs and site layout should encourage vehicle parking within the garages and not within the shared driveway aisle.*

The site layout has not changed. If issues arise in the future, the party in charge of the community will install on-site signage or use other mechanism(s) to inform and discourage residents and visitors from parking within the shared driveway aisle.

Staff concludes that the revisions to the building designs address the Committee's and staff's concerns expressed at the July 26, 2023 DRC meeting and suggest the Committee recommend approval to the Planning Commission.

Attachments:

- A. Revised Project Plans (Addendum)
- B. Project Plans
- C. [July 26, 2023 DRC Staff Report \(Link\)](#)



### Parcel 24 FDP Planning Submittal - 9/06/23 Addendum

This submittal addendum to the original FDP Drawing Set is in response to the 7/26/23 DRC meeting, and shows additional designs variations (referred to as Plan 1a) to be included with the original submittal. Their proposed placement is shown in the revised siteplans (pg A1) and proposed combined street elevation (pg A2 and A3).

#### OUR TEAM

##### **Suncal**

Contact:  
2392 Morse Ave Irvine, CA 92614  
www.suncal.com

##### **WHA.** Architects . Planners . Designers .

Contact: Chris Hall  
5000 Executive Pkwy, Suite 375  
San Ramon, CA 94583  
415.658.1723 | www.WHAinc.com

#### **(Original FDP Submittal)**

##### **BKF, Civil**

Contact: Jacob Nyugen  
300 Frank Ogawa Plaza, Oakland, CA 94612

##### **PGA, Landscape Architect**

Contact: Chris Kent  
444 17th St, Oakland, CA 94612

#### **SHEET INDEX:**

A0	General Notes and Title Page
A1	Parcel 24 Siteplan
A2	Parcel 24 Street Elevations
A3	Parcel 24 Street Elevations
A4	Elevation Styles
A5	Plan 1a Mission Style Elevations
A6	Plan 1a Arts & Crafts Style Elevations
A7	Plan 1a Craftsman Style Elevations
A8	Plan 1a Floor Plans - Mission
A9	Plan 1a Floor Plans - Arts & Crafts
A10	Plan 1a Floor Plans - Craftsman
A11	Colors and Materials
A12	Colors and Materials
A13	Colors and Materials
A14	Colors and Materials



KEY MAP

**PARCEL 24**

**ZONE:** OK-3 MEDIUM

**UNIT TYPE:**  
ALLEY LOADED SMALL LOT SFD  
(AKA Pull-Apart Townhome)

**PLAN SIZE:**  
RANGING FROM 2,000 SF TO 2,500 SF


Note: Per Table 17.101J.02: Permitted and Conditionally Permitted Facilities of the Oakland Zoning Code, a "One-Family Dwelling" is conditionally permitted in the D-OK-3 zone. In conjunction with this Final Development Plan, an application for a Conditional Use Permit has been made to implement the small-lot detached alley home/pull-apart townhome home type in lieu of an attached townhome.

**LOT COVERAGE:**  
35.5% (55% MAX. ALLOWED)

**DEVELOPMENT STANDARDS PER OK-3 ZONING CODE:**

- FRONT SETBACK = 8' MIN.
- SIDE SETBACK AT INTERIOR = 4' MIN.
- SIDE SETBACK AT STREET = 5' MIN.
- REAR SETBACK = N/A
- MAX. HEIGHT (PRIMARY WALL) = 35'
- MAX. HEIGHT (PITCHED ROOF) = 40'



**24**  
**ALLEY SFD**  
**1.6 ACRES**  
**16.3 DU/AC**  
**25 UNITS**



**LEGEND**

- # BUILDING NUMBERS
- PROPERTY BOUNDARY
- MISSION STYLE
- CRAFTSMAN STYLE
- FARMHOUSE STYLE
- \* HIGH VISIBILITY FACADE

ARTS & CRAFTS STYLE



**Final Development Plan Parcel 24 Site Plan**

**OAK KNOLL**  
OAKLAND, CA



**FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM**

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23



A1

0 2 4 8



PLAN 3  
MISSION  
BLDG 8

PLAN 2  
FARMHOUSE  
BLDG 7

PLAN 1a  
CRAFTSMAN  
BLDG 6

PLAN 3  
FARMHOUSE  
BLDG 5

PLAN 2  
CRAFTSMAN  
BLDG 4

PLAN 1a  
MISSION  
BLDG 3

PLAN 3  
CRAFTSMAN  
BLDG 2

PLAN 1a  
ARTS & CRAFTS  
BLDG 1

**Creekside Loop Elevation (South)**



PLAN 2  
FARMHOUSE

PLAN 3  
CRAFTSMAN

PLAN 2  
MISSION


PLAN 1a  
ARTS & CRAFTS

PLAN 1a  
CRAFTSMAN

PLAN 3  
MISSION

PLAN 2  
FARMHOUSE

**Street J Elevation (East)**



**Final Development Plan Parcel 24 Addendum**

**OAK KNOLL**

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23

A2  
8


ARCHITECTS . PLANNERS . DESIGNERS



ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO



**CREEK ELEVATION**



**Final Development Plan Parcel 24 Addendum**

**OAK KNOLL**

OAKLAND, CA



**FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM**

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23

ARCHITECTS . PLANNERS . DESIGNERS



ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO

A3  
8

0 2 4



1A | Mission



1A | Arts & Crafts



1A | Craftsman

Note: Artist's Conception; Colors, Materials  
And Application May Vary.

Plan 1a Elevation Styles

OAK KNOLL

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23


A4  
8

0 2 4

ARCHITECTS . PLANNERS . DESIGNERS



ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO



Left



Front




Right

**MATERIAL**

**MISSION:**

Roof:	S-Tile Roof
Fascia:	2X Wood Fascia
Barge:	Wood Barge Board
Gable:	Decorative Vent
Exterior:	Stucco Siding
Window & Door Trim:	Foam and Wood Trim
Entry Door:	Decorative Front Entry Door
Balcony:	Painted Metal Decorative Rails and Screens
Garage Door:	Decorative Metal Roll-Up Garage Door with Glass Lites

\*Notes: Elevation shown is 'high visibility' version, dashed lines indicate standard version - see Right Side Elevation



Rear

Note: Artist's Conception; Colors, Materials and Application May Vary.

**Mission Style Plan 1A Elevations**

**OAK KNOLL**

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23


0 3 6 A5 12

ARCHITECTS . PLANNERS . DESIGNERS



ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO





Left



Front




Right

**MATERIAL**

**ARTS & CRAFTS:**

- Roof: Concrete Flat Tile Roof
- Fascia: 2X Wood Fascia
- Barge: Wood Barge Board
- Gable: Decorative Vent
- Exterior: Painted Cementitious or Wood Trim and Stucco
- Window & Door Trim: Wood Trim
- Entry Door: Decorative Front Entry Door
- Garage Door: Decorative Metal Roll-Up Garage Door with Glass Lites

\*Notes: Elevation shown is 'high visibility' version, dashed lines indicate standard version - see Right Side Elevation



Rear

Note: Artist's Conception; Colors, Materials and Application May Vary.

**Arts & Crafts Style Plan 1A Elevations**

**OAK KNOLL**

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23


A6  
8

0 2 4


ARCHITECTS . PLANNERS . DESIGNERS



ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO



**Left**



**Front**




**Front - Entry Roof Option B**



**Right**

<u>MATERIAL</u>	<u>CRAFTSMAN:</u>
Roof:	Concrete Flat Tile Roof
Fascia:	2X Wood Fascia With Rafter Tails at Select Locations
Barge:	Wood Barge Board
Gable:	Decorative Vent
Exterior:	Horizontal, Board & Batten and Shingle Siding
Window & Door Trim:	Wood Trim
Entry Door:	Decorative Front Entry Door
Veneer:	Brick Veneer
Garage Door:	Decorative Metal Roll-Up Garage Door with Glass Lites

\*Notes: Elevation shown is 'high visibility' version, dashed lines indicate standard version - see Right Side Elevation



**Rear**

Note: Artist's Conception; Colors, Materials and Application May Vary.

## Craftsman Style Plan 1A Elevations

# OAK KNOLL

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23


0 2 4 8  
A7

ARCHITECTS . PLANNERS . DESIGNERS




ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO







First Floor



Second Floor



Third Floor



Roof Plan

Arts & Crafts Style Plan 1a

OAK KNOLL

OAKLAND, CA



FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23


A9  
8

0 2 4


ARCHITECTS . PLANNERS . DESIGNERS




ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO




**First Floor**



**Second Floor**



**Third Floor**



**Roof Plan**

**Craftsman Style Plan 1a**

**OAK KNOLL**

OAKLAND, CA



**FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM**


© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23

0 2 4 8  
**A10**

ARCHITECTS . PLANNERS . DESIGNERS




ORANGE COUNTY . LOS ANGELES . BAY AREA . SACRAMENTO



**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 1**  
 Mission Elevations Only



**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086


**SCHEME 2**  
 Mission Elevations Only

**Color & Materials**

**OAK KNOLL**


OAKLAND, CA





**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 3**  
 Mission Elevations Only



**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086


**SCHEME 4**  
 Arts and Crafts Elevations Only

**Color & Materials**

**OAK KNOLL**


OAKLAND, CA





**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 5**  
 Arts and Crafts Elevations Only




**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 6**  
 Arts and Crafts Elevations Only


**Color & Materials**  
**OAK KNOLL**  
 OAKLAND, CA





**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 7**  
 Craftsman Elevations Only



**OAK KNOLL**  
 Oakland, California  
 SUNCAL  
 August 21, 2023 | 2023086

**SCHEME 8**  
 Craftsman Elevations Only

**Color & Materials**  
**OAK KNOLL**  
 OAKLAND, CA



**Final Development Plan Parcel 24 Addendum**

**OAK KNOLL**


OAKLAND, CA



**FINAL DEVELOPMENT PLAN PARCEL 24 ADDENDUM**

© 2023 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2023086 | 09-06-23





# OAK KNOLL

---

## FINAL DEVELOPMENT PLAN PARCEL 24

08.31.20

Revision 5 by Platform: 02.03.23

Revision 6 by Platform: 03.20.23

(Addendum Revision 7 by WHA: 9.06.23)

Attachment B

# CONTENTS

## INTRODUCTION

LOCATION & VICINITY MAP.....	1
AERIAL CONTEXT .....	2
CONTEXT PHOTOS .....	3
PHASE 1 ZONING .....	4
PHASING & PHASE 1 RESIDENTIAL .....	5
ASSESSOR'S PARCEL MAP .....	6
OVERALL PROPERTY BOUNDARY & TOPOGRAPHY.....	7

## THE PLAN


PHASE 1 SITE PLAN .....	9
PARCEL SITE PLAN.....	10
<del>FIRST FLOOR SITE PLAN .....</del>	<del>11</del>
<del>SECOND FLOOR SITE PLAN .....</del>	<del>12</del>
<del>THIRD FLOOR SITE PLAN .....</del>	<del>13</del>
<del>ROOF SITE PLAN .....</del>	<del>14</del>
OPEN SPACE SUMMARY .....	15
PARCEL BOUNDARY .....	16
UTILITY PLAN .....	17
GRADING & DRAINAGE PLAN .....	18
STORMWATER TREATMENT PLAN .....	19
LANDSCAPE ILLUSTRATIVE.....	20
LANDSCAPE CONCEPT.....	21
SECTIONS.....	22
PLANT LIST.....	23
PLANT LIST & NOTES .....	24
PLANT IMAGES .....	25
LANDSCAPE MATERIALS .....	28
LANDSCAPE LIGHTING.....	29
TREE SURVEY .....	30

## ARCHITECTURE


SMALL LOT SINGLE-FAMILY HOME RENDERING .....	32
SMALL LOT SINGLE-FAMILY HOME ARCHITECTURAL STYLES.....	34
SMALL LOT SINGLE-FAMILY HOME - PLAN 1 TYPICAL FIRST FLOOR PLANS .....	35
SMALL LOT SINGLE-FAMILY HOME - PLAN 1 TYPICAL SECOND FLOOR PLANS .....	36
SMALL LOT SINGLE-FAMILY HOME - PLAN 1 TYPICAL THIRD FLOOR PLANS.....	37
SMALL LOT SINGLE-FAMILY HOME - PLAN 1 TYPICAL ROOF PLANS.....	38
SMALL LOT SINGLE-FAMILY HOME - PLAN 2 TYPICAL FIRST FLOOR PLANS .....	39
SMALL LOT SINGLE-FAMILY HOME - PLAN 2 TYPICAL SECOND FLOOR PLANS .....	40
SMALL LOT SINGLE-FAMILY HOME - PLAN 2 TYPICAL THIRD FLOOR PLANS.....	41
SMALL LOT SINGLE-FAMILY HOME - PLAN 2 TYPICAL ROOF PLANS .....	42
SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL FIRST FLOOR PLANS .....	43
SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL SECOND FLOOR PLANS .....	44
SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL THIRD FLOOR PLANS.....	45
SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL ROOF PLANS .....	46
BUILDING ELEVATIONS (BUILDINGS 1-25) .....	47
CREEKSIDE LOOP STREETSCENE ELEVATION (SOUTHERN PARCEL BOUNDARY) .....	73
WESTERN PARCEL BOUNDARY ELEVATION .....	74
NORTHERN PARCEL BOUNDARY ELEVATION .....	75
STREET "J" STREETSCENE ELEVATION (EASTERN PARCEL BOUNDARY) .....	76
PARCELS 23 & 24 SITE SECTION .....	77
MATERIALS AND COLORS BOARDS .....	78
EXTERIOR LIGHT FIXTURES SAMPLES.....	85
FARMHOUSE FLOOR PLANS .....	37A

An aerial photograph of a city and its surrounding landscape. The city is densely packed with buildings and roads, extending towards a large body of water in the distance. The foreground shows a mix of green fields, forests, and some industrial or commercial structures. A semi-transparent blue box is overlaid on the center of the image, containing the word "INTRODUCTION" in a blue, sans-serif font.

# INTRODUCTION



LOCATION




VICINITY

# OAK KNOLL

LOCATION & VICINITY MAP  
FINAL DEVELOPMENT PLAN - PARCEL 24





PHASE 1 CONTEXT



PARCEL VIEWS KEY MAP



1. LOOKING NORTH



2. LOOKING SOUTH




3. LOOKING EAST




4. LOOKING WEST

OAK KNOLL  
CONTEXT PHOTOS  
FINAL DEVELOPMENT PLAN - PARCEL 24










# OAK KNOLL

## PHASING & PHASE 1 RESIDENTIAL

### FINAL DEVELOPMENT PLAN - PARCEL 24



**NOTES:**  
 DATE OF AERIAL TOPOGRAPHIC SURVEY:  
 09-24-13 BY PHOTO SCIENCE, INC.



# OAK KNOLL


## OVERALL PROPERTY BOUNDARY & TOPOGRAPHY

### FINAL DEVELOPMENT PLAN - PARCEL 24





# THE PLAN



FOR ILLUSTRATIVE PURPOSES ONLY

# OAK KNOLL

PHASE 1 SITE PLAN

FINAL DEVELOPMENT PLAN - PARCEL 24





KEY  
MAP

**PARCEL 24**

**ZONE:** OK-3 MEDIUM

**UNIT TYPE:**  
ALLEY LOADED SMALL LOT SFD  
(AKA Pull-Apart Townhome)


**PLAN SIZE:**  
RANGING FROM 2,000 SF TO 2,500 SF

Note: Per Table 17.101J.02: Permitted and Conditionally Permitted Facilities of the Oakland Zoning Code, a "One-Family Dwelling" is conditionally permitted in the D-OK-3 zone. In conjunction with this Final Development Plan, an application for a Conditional Use Permit has been made to implement the small-lot detached alley home/pull-apart townhome home type in lieu of an attached townhome.

**LOT COVERAGE:**  
35.5% (55% MAX. ALLOWED)



**DEVELOPMENT STANDARDS PER OK-3 ZONING CODE:**  
FRONT SETBACK = 8' MIN.  
SIDE SETBACK AT INTERIOR = 4' MIN.  
SIDE SETBACK AT STREET = 5' MIN.  
REAR SETBACK = N/A  
MAX. HEIGHT (PRIMARY WALL) = 35'  
MAX. HEIGHT (PITCHED ROOF) = 40'

**24**  
**ALLEY SFD**  
**1.6 ACRES**  
**16.3 DU/AC**  
**25 UNITS**



**LEGEND**

- # BUILDING NUMBERS
- PROPERTY BOUNDARY
- MISSION STYLE
- CRAFTSMAN STYLE
- FARMHOUSE STYLE
- \* HIGH VISIBILITY FACADE



**OAK KNOLL**  
PARCEL SITE PLAN

FINAL DEVELOPMENT PLAN - PARCEL 24

Notes:  
Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
For details of the floorplans, please see the floorplans in the Architecture section of this document.  
For landscaping and fence details refer to landscape plans of this document.

# PARCEL 24

## OPEN SPACE SUMMARY

### TOTAL USABLE GROUP OPEN SPACE

REQUIRED 170 SF PER UNIT (25 UNITS)= 4,250 SF  
PROVIDED = 5,969 SF




# OAK KNOLL

## OPEN SPACE SUMMARY

FINAL DEVELOPMENT PLAN - PARCEL 24








**NOTES:**  
 DATE OF AERIAL TOPOGRAPHIC SURVEY  
 09-24-13 BY PHOTO SCIENCE, INC.


TO MONUMENT:  
 FOUND 1-1/4" BRASS DISC  
 W/PUNCH, SET IN  
 CONCRETE, STAMPED  
 "EBMUD SURV. PROP. COR."



# OAK KNOLL

## PARCEL BOUNDARY


FINAL DEVELOPMENT PLAN - PARCEL 24



**LEGEND:**

- SDMH ● STORM DRAIN MANHOLE
- OFD ■ OVERFLOW DRAIN BOX
- BB/DI ■ BUBBLER BOX/DRAIN INLET
- STORM/SEWER CLEANOUT
- SD — TREATED STORM PIPE
- SD — UNTREATED STORM PIPE
- SSMH ● SANITARY SEWER MANHOLE
- SS — SANITARY SEWER PIPE
- ☐ TRANSFORMER
- JT — JOINT TRENCH
- W — DOMESTIC WATER PIPE
- FW — FIRE WATER PIPE
- FH ● HYDRANT

NOTE: REFER TO PARCEL SITE PLAN PAGE 10 FOR UNIT TYPES AND UNIT PLANS




# OAK KNOLL

## UTILITY PLAN

FINAL DEVELOPMENT PLAN - PARCEL 24








**LEGEND:**

- A-1 DRAINAGE AREA BOUNDARY
- TA-1 TREATMENT AREA
- STORM TREATMENT AREA
- PATH OF FLOW


**TREATMENT CONTROL MEASURE SUMMARY**

DRAINAGE AREAS	DRAINAGE AREA SIZE (SQ. FT.)	IMPERVIOUS AREA (SQ. FT.)	TREATMENT AREA (FLOW-VOLUME BASED)	
			REQUIRED (SF)	PROVIDED (SF)
A-1	1640	1540	62	62
A-2	1669	1549	62	62
A-3	1669	1549	62	62
A-4	1666	1549	62	62
A-5	1665	1549	62	62
A-6	2063	1810	72	73
A-7	1831	1580	63	63
A-8	1648	1532	61	62
A-9	1645	1532	61	62
A-10	1641	1532	61	62
A-11	1578	1455	58	65
A-12	1840	1632	65	68
A-13	1605	1400	56	58
A-14	1545	1400	56	58
A-15	1605	1400	56	58
A-16	1605	1400	56	58
A-17	1605	1400	56	58
A-18	1605	1400	56	58
A-19	2504	1434	57	60
A-20	2893	1542	62	75
A-21	2535	1542	62	75
A-22	2437	1487	59	75
A-23	2560	1820	73	75
A-24	2102	1605	64	75
A-25	2625	1542	62	75
A-26	22562	19560	782	785








**OAK KNOLL**  
 STORMWATER TREATMENT PLAN  
 FINAL DEVELOPMENT PLAN - PARCEL 24







**PLANTING LEGEND**




-  **PRIVACY SCREENING PLANTING**  
HIGH SHRUBS, LOW SHRUBS,  
GROUNDCOVER & GRASSES
-  **ORNAMENTAL PLANTING**  
LOW SHRUBS, GROUNDCOVER &  
GRASSES
-  **BIOTREATMENT PLANTING**  
SEE PLANT LIST FOR SPECIES
-  **NO MOW TURF**  
SEE PLANT LIST FOR SPECIES
-  **PRIVATE OPEN SPACE,**  
IMPROVEMENTS BY OTHERS

**HARDSCAPE LEGEND**

-  PRIVATE DRIVEWAY
-  PEDESTRIAN PAVING, SEE  
LANDSCAPE MATERIALS
-  LED BOLLARD LIGHT, TYP.
-  LED POLE LIGHT, TYP.
-  6' TALL FENCE, WOOD

**OAK KNOLL**  
LANDSCAPE CONCEPT  
FINAL DEVELOPMENT PLAN - PARCEL 24





SEE PARCEL 24 LANDSCAPE CONCEPT  
FOR SECTION LOCATIONS

TREE LIST				
SYMBOL	BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	WATER USE
TREE				
	AESCLUSUS CALIFORNICA	CALIFORNIA BUCKEYE	24" BOX	VERY LOW
	ALBIZIA JULIBRISSIN	SILK TREE	24" BOX	LOW
	ARBUTUS UNEDO MULTI STEM	COMPACT STRAWBERRY TREE	24" BOX	LOW
	CEANOTHUS 'RAY HARTMAN'	RAY HARTMAN WILD LILAC	15 GAL	LOW
	JACARANDA MIMOSIFOLIA	JACARANDA	24" BOX	MODERATE
	LAGERSTROEMIA INDICA	CRAPE MYRTLE	24" BOX	LOW
	PLATANUS X ACERIFOLIA 'COLUMBIA'	LONDON PLANE TREE	24" BOX	MODERATE
	QUERCUS AGRIFOLIA	COAST LIVE OAK	24" BOX	VERY LOW

SHRUBS, GROUNDCOVERS & GRASSES				
Type	COMMON NAME	CONTAINER SIZE	SPACING	WATER USE
GRASS				
CAREX DIVULSA	BERKELEY SEDGE	1 GAL	2'-6"	LOW
FESTUCA 'SISKIYOU BLUE'	SISKIYOU BLUE FESCUE	1 GAL	18"	MODERATE
FESTUCA CALIFORNICA	CALIFORNIA FESCUE	1 GAL	2'-6"	LOW
FESTUCA RUBRA 'PT. MOLATE'	MOLATE FESCUE	1 GAL	1'-6"	LOW
JUNCUS PATENS 'ELK BLUE'	ELK BLUE CALIFORNIA GRAY RUSH	1 GAL	2'-0"	LOW
MUHLENBERGIA RIGENS	DEERGRASS	1 GAL	3'-0"	LOW
SESLERIA AUTUMNALIS	AUTUMN MOOR GRASS	1 GAL	1'-0"	MODERATE
GROUNDCOVER				
ACHILLEA MILLEFOLIUM	YARROW	1 GAL	1'-6"	LOW
ARCTOSTAPHYLOS 'PACIFIC MIST'	PACIFIC MIST MANZANITA	15 GAL	8'-0"	LOW
ARCTOTIS STOECHADIFOLIA	AFRICAN DAISY	1 GAL	1'-6"	LOW
BERBERIS REPENS	CREEPING BARBERRY	5 GAL	1'-6"	LOW
CISTUS CORBARIENSIS	ROCKROSE	5 GAL	6'-0"	LOW
ERIGERON GLAUCUS	SEASIDE DAISY	5 GAL	2'-0"	LOW
MYOPORUM PARVIFOLIUM 'PUTAH CREEK'	CREEPING MYOPORUM	1 GAL	1'-0"	LOW
ROSMARINUS 'HUNTINGTON CARPET'	HUNTINGTON CARPET ROSEMARY	5 GAL	8'-0"	LOW
SALVIA SPATHACEA	HUMMINGBIRD SAGE	1 GAL	4'-0"	LOW
SENECIO MANDRALISCAE	BLUE CHALKSTICKS	5 GAL	2'-0"	LOW
STACHYS BYZANTINA 'SILVER CARPET'	LAMB'S EARS	1 GAL	3'-0"	LOW
ZAUSCHNERIA CALIFORNICA 'ROUTE 66'	ROUTE 66 CALIFORNIA FUCHSIA	1 GAL	3'-0"	LOW
HIGH SHRUB				
ARCTOSTAPHYLOS DENSIFLORA 'HOWARD MCMINN'	HOWARD MCMINN MANZANITA	24" BOX	5'-0"	LOW
ARCTOSTAPHYLOS DENSIFLORA 'LUTSKO'S PINK'	MANZANITA	1 GAL	6'-0"	LOW
CARPENTERIA CALIFORNICA 'ELIZABETH'	BUSH ANEMONE	1 GAL	4'-0"	MODERATE
CEANOTHUS 'CONCHA'	CALIFORNIA LILAC	1 GAL	9'-0"	LOW
CEANOTHUS 'FROSTY BLUE'	CALIFORNIA LILAC	15 GAL	10'-0"	LOW
CEANOTHUS GLORIOSUS VAR. EXALTATUS 'EMILY BROWN'	NAVARRO CEANOTHUS	1 GAL	8'-0"	LOW
HETEROMELES ARBUTIFOLIA	TOYON	15 GAL	6'-0"	LOW
OLEA EUROPAEA 'MONTRA'	LITTLE OLIVE	15 GAL	4'-0"	VERY LOW
PHORMIUM 'BRONZE BABY'	NEW ZEALAND FLAX	5 GAL	3'-0"	LOW
PHORMIUM 'DARK DELIGHT'	NEW ZEALAND FLAX	5 GAL	4'-0"	LOW
RIBES SANGUINEUM 'CLAREMONT'	FLOWERING CURRANT	5 GAL	6'-0"	LOW
RIBES VIBURNIFOLIUM	CATALINA PERFUME	1 GAL	5'-0"	LOW
ROSA CALIFORNICA	CALIFORNIA WILD ROSE	5 GAL	3'-0"	LOW
SALVIA LEUCANTHA	MEXICAN BUSH SAGE	5 GAL	5'-0"	LOW
SENECIO LEUCOSTACHYS	WHITE GROUNDSEL	5 GAL	4'-0"	LOW
WESTRINGIA FRUTICOSA 'MORNING LIGHT'	COAST ROSEMARY	5 GAL	3'-0"	LOW
LOW SHRUB				
ANIGOZANTHOS 'BUSH LANTERN'	DWARF YELLOW KANGAROO PAW	1 GAL	2'-0"	LOW
ANIGOZANTHOS 'HARMONY'	KANGAROO PAW	5 GAL	2'-6"	LOW
ASCLEPIAS FASCICULARIS	NARROWLEAF MILKWEED	1 GAL	3'-0"	LOW
ASCLEPIAS SPECIOSA 'DAVIS'	SHOWY MILKWEED	1 GAL	3'-0"	LOW
ERYSIMUM LINIFOLIUM 'BOWLES' MAUVE'	WALLFLOWER	1 GAL	1'-6"	LOW
GALVEZIA SPECIOSA 'FIRECRACKER'	FIRECRACKER ISLAND BUSH SNAPDRAGON	1 GAL	4'-0"	LOW
IRIS DOUGLASIANA 'CANYON SNOW'	PACIFIC COAST HYBRID IRIS	1 GAL	1'-6"	LOW
LAVANDULA ANGUSTIFOLIA 'HIDCOTE BLUE'	HIDCOTE BLUE ENGLISH LAVENDER	5 GAL	3'-0"	LOW
PHORMIUM 'CREAM DELIGHT'	NEW ZEALAND FLAX	5 GAL	2'-0"	LOW
PHORMIUM 'JACK SPRATT'	NEW ZEALAND FLAX	5 GAL	1' 0"	LOW
POLYSTICHUM MUNITUM	WESTERN SWORD FERN	1 GAL	3'-0"	MODERATE
RHAMNUS CALIFORNICA 'MOUND SAN BRUNO'	COFFEEBERRY	24" BOX	6'-0"	LOW
ROSMARINUS OFFICINALIS 'COLLINGWOOD INGRAM'	DWARF ROSEMARY	1 GAL	4'-0"	LOW
SALVIA MICROPHYLLA 'BERZERKELEY'	BERZERKELEY SALVIA	1 GAL	2'-0"	LOW
TEUCRIUM CHAMAEDRYS	WALL GERMANDER	1 GAL	2'-0"	LOW
TREE				
AESCLUSUS CALIFORNICA	CALIFORNIA BUCKEYE	24" BOX	25'-0"	VERY LOW
ARBUTUS UNEDO MULTI STEM	COMPACT STRAWBERRY TREE	24" BOX	8'-0"	LOW
CEANOTHUS 'RAY HARTMAN'	RAY HARTMAN WILD LILAC	15 GAL	10'-0"	LOW
JACARANDA MIMOSIFOLIA	JACARANDA	24" BOX	30'-0"	MODERATE
LAGERSTROEMIA INDICA	CRAPE MYRTLE	24" BOX	20'-0"	LOW
PLATANUS X ACERIFOLIA 'COLUMBIA'	LONDON PLANE TREE	24" BOX	30'-0"	MODERATE
VINE				
SOLANUM JASMINOIDES	POTATO VINE	1 GAL	15'-0"	MODERATE
VITIS 'ROGER'S RED'	ROGER'S CALIFORNIA GRAPE	5 GAL	15'-0"	LOW

# OAK KNOLL

## PLANT LIST

FINAL DEVELOPMENT PLAN - PARCEL 24



**IRRIGATION DESIGN INTENT & PERFORMANCE STANDARDS**

1. ALL SHRUBS, GROUNDCOVERS, TREES AND VINES SELECTED FOR PLANTING ARE CLIMATE ADAPTED AND DROUGHT TOLERANT. ALL SHRUBS AND GROUNDCOVER AREAS (NON-TURF AREAS) TO BE IRRIGATED WITH DRIP IRRIGATION. ALL TURF AREAS IRRIGATED WITH HIGH EFFICIENCY SPRINKLERS.
2. LANDSCAPING TO BE DESIGNED TO BE IRRIGATED AT NO MORE THAN 70% OF THE REFERENCE EVAPOTRANSPIRATION FOR THE IRRIGATED AREA.
3. NO ORNAMENTAL TURF HAS BEEN SPECIFIED. ALL TURF IS FOR RECREATIONAL USE AND WILL NOT COVER MORE THAN 25% OF TOTAL IRRIGATED AREA.
4. TURF IS NOT ALLOWED IN AREAS LESS THAN 10' WIDE.
5. AUTOMATIC, SELF-ADJUSTING IRRIGATION CONTROLLERS ARE TO BE SPECIFIED ON ALL IRRIGATION SYSTEMS AND WILL AUTOMATICALLY ACTIVATE AND DEACTIVATE THE IRRIGATION SYSTEM BASED ON CHANGES IN THE WEATHER. ALL AUTOMATIC IRRIGATION SYSTEMS ARE EQUIPPED WITH RAIN SENSORS.
6. OVERHEAD SPRINKLER IRRIGATION FOR TURF AREAS ONLY, NO SPRINKLERS OR SPRAY HEADS IN AREAS LESS THAN 10' WIDE. LANDSCAPE DESIGN BEST PRACTICES WILL INCLUDE DISTRIBUTION UNIFORMITY, HEAD TO HEAD SPACING AND SETBACKS FROM WALKWAYS AND PAVEMENT.
7. HOMEOWNER AND DEVELOPER TO CONFORM TO EBMUD SECTION 31 WATER EFFICIENCY REQUIREMENTS FOR LANDSCAPE. PLANS PROVIDED INCLUDE SUGGESTED PLANT PALETTE, AND IRRIGATION DESIGN/BUILD SPECIFICATION TO CONFORM TO SECTION 31. HOMEOWNER TO REFER TO EBMUD BOOK "PLANTS AND LANDSCAPES FOR SUMMER-DRY CLIMATES OF THE SAN FRANCISCO BAY REGION" FOR FURTHER INFORMATION AND PLANT SELECTION. WWW.STOPWASTE.ORG WEB SITE PROVIDES ADDITIONAL INFORMATION REGARDING BAY FRIENDLY PLANTS AND PRACTICES FOR LANDSCAPING.
8. VALVES AND CIRCUITS TO BE SEPARATED (INDIVIDUAL HYDROZONES) BASED ON PLANT MATERIAL AND WATER USE.
9. STATIC PRESSURE AT POINT OF CONNECTION TO BE 60 PSI OR HIGHER. IRRIGATION DEMAND NOT TO EXCEED 20 GPM AT 60 PSI STATIC PRESSURE.
10. PROVIDE AUTOMATIC IRRIGATION SYSTEM THAT PROVIDES 100% UNIFORM COVERAGE AND MEETS CURRENT WATER EFFICIENCY STANDARDS FOR LANDSCAPE AREAS.
11. IRRIGATION BACKFLOW PREVENTION DEVICE TO BE LOCATED CLOSE TO STRUCTURE AWAY FROM EDGE OF ROAD OR PAVEMENT ON A CONCRETE PAD. A POLAR BLANKET AND STEEL CAGING TO BE PROVIDED FOR EACH BACKFLOW PREVENTER.
12. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

**PLANTING DESIGN INTENT & NOTES**

1. ALL LANDSCAPE AREAS ARE TO BE MAINTAINED BY HOME OWNERS' ASSOCIATION. PRIVATE PATIOS AND PRIVATE YARDS WILL BE MAINTAINED BY INDIVIDUAL HOME OWNERS.
2. PLANT LISTS ARE SUGGESTED PALETTE, PLANTS MAY BE SUBSTITUTED AT OWNER'S DISCRETION SO LONG AS THEY ARE CLIMATE ADAPTED, AND MEET WATER REQUIREMENTS.
3. PLANT ALL TREES A MINIMUM OF 5 FEET AWAY FROM ANY UNDERGROUND UTILITIES, A MINIMUM OF 15 FEET FROM A LIGHT POLE, AND A MINIMUM OF 30 FEET FROM THE FACE OF A TRAFFIC SIGNAL, OR AS OTHERWISE SPECIFIED BY THE CITY.
4. PROVIDE ROOT BARRIER FOR ALL TREES LOCATED WITHIN 7 FEET OF PAVED EDGES OR STRUCTURE. ROOT BARRIER IS 24 INCH DEEP BY APPROXIMATELY 6 FT LONG PANEL BARRIER, DEEP ROOT SM 24, AVAILABLE FROM VILLA LANDSCAPE PRODUCTS, INC. (714) 630-3181; ROOT SOLUTIONS (800)554-0914 OR APPROVED EQUIVALENT. INSTALL 12' LENGTH ALONG EDGE OF PAVEMENT CENTERED ON EACH TREE.
5. ALL SHRUBS, GROUNDCOVERS, TREES AND VINES SELECTED FOR PLANTING ARE CLIMATE ADAPTED AND DROUGHT TOLERANT. ALL SHRUBS AND GROUNDCOVER AREAS (NON-TURF AREAS) TO BE IRRIGATED WITH DRIP IRRIGATION. ALL TURF AREAS IRRIGATED WITH HIGH-EFFICIENCY SPRAY.
6. NON-TURF AREAS: AT LEAST 80% OF PLANTS SELECTED ARE CLIMATE APPROPRIATE LOW WATER USE SPECIES AND REQUIRE MINIMAL WATER ONCE ESTABLISHED. UP TO 20% OF THE PLANTS MAY BE NON-DROUGHT TOLERANT VARIETY AS LONG AS THEY ARE APPROPRIATELY GROUPED TOGETHER AND IRRIGATED SEPARATELY AND EFFICIENTLY.
7. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

STORMWATER TREATMENT PLANTING				
BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	SPACING	WATER USE
GRASS				
CAREX DIVULSA	BERKELEY SEDGE	1 GAL	2'-6"	LOW
FESTUCA CALIFORNICA	CALIFORNIA FESCUE	1 GAL	2'-6"	LOW
JUNCUS PATENS 'ELK BLUE'	ELK BLUE CALIFORNIA GRAY RUSH	1 GAL	2'-0"	LOW
MUHLENBERGIA RIGENS	DEERGRASS	1 GAL	3'-0"	LOW
CHONDROPETALUM TECTORUM	CAPE RUSH	5 GAL	4'-0"	LOW
GROUNDCOVER				
ERIGERON GLAUCUS	SEASIDE DAISY	5 GAL	2'-0"	LOW
ACHILLEA MILLEFOLIUM	YARROW	1 GAL	1'-6"	LOW
BERBERIS REPENS	CREEPING BARBERRY	5 GAL	1'-6"	LOW
SALVIA SPATHACEA	HUMMINGBIRD SAGE	1 GAL	4'-0"	LOW
HIGH SHRUB				
RIBES SANGUINEUM 'CLAREMONT'	FLOWERING CURRANT	5 GAL	6'-0"	LOW
ROSA CALIFORNICA	CALIFORNIA WILD ROSE	5 GAL	3'-0"	LOW
LOW SHRUB				
ASCLEPIAS FASCICULARIS	NARROWLEAF MILKWEED	1 GAL	3'-0"	LOW
ASCLEPIAS SPECIOSA 'DAVIS'	SHOWY MILKWEED	1 GAL	3'-0"	LOW
GRINDELIA HIRSUTULA	HAIRY GUMPLANT	1 GAL	3'-0"	LOW
IRIS DOUGLASIANA 'CANYON SNOW'	PACIFIC COAST HYBRID IRIS	1 GAL	1'-6"	LOW

NO-MOW TURF PLANTING			
BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	WATER USE
GRASS			
FESTUCA RUBRA	MOLATE FESCUE	PART OF SOD MIX	LOW
STIPA PULCHRA	PURPLE NEEDLEGRASS	PART OF SOD MIX	LOW
STIPA CERNUA	NODDING NEEDLEGRASS	PART OF SOD MIX	LOW
KOELERIA MACRANTHA	PRARIE JUNEGRASS	PART OF SOD MIX	LOW

trees



*Albizia julibrissin* | Silk Tree



*Ceanothus 'Ray Hartman'* | Ray Hartman Wild Lilac



*Platanus 'Columbia'* | London Plane Tree



*Aesculus californica* | California Buckeye



*Jacaranda mimosifolia* | Jacaranda



*Quercus agrifolia* | Coast Live Oak



*Arbutus undeeo* | Strawberry Tree



*Lagerstoemia indica* | Crape Myrtle

# OAK KNOLL

PLANT IMAGES

FINAL DEVELOPMENT PLAN - PARCEL 24

grasses



*Carex divulsa* | Berkeley Sedge



*Juncus 'Elk Blue'* | Elk Blue Juncus



*Festuca 'Siskiyou Blue'* | Siskiyou Blue Fescue



*Muhlenbergia rigens* | Deer Grass



*Festuca californica* | California Fescue



*Festuca rubra 'Pt Molate'* | Molate Fescue



*Sesleria autumnalis* | Autumn Moor Grass

groundcover



*Achillea millefolium* | Yarrow



*Berberis repens* | Creeping Barberry



*Senecio mandraliscae* | Blue Chalksticks



*Arctostaphylos 'Pacific Mist'* | Pacific Mist Manzanita



*Cistus corbariensis* | Rockrose



*Salvia spathacea* | Hummingbird Sage



*Arctotis stoechadifolia* | African Daisy



*Erigeron glaucus* | Seaside Daisy



*Myoporum parvifolium* | Creeping Myoporum

shrubs



*Anigozanthos, sp.* | Kangaroo Paw



*Ceanothus, sp.* | Wild Lilac



*Olea 'Little Ollie'* | Little Ollie Olive



*Salvia leucantha* | Mexican Bush Sage



*Arcostaphylos 'Howard McMinn'* | Howard McMinn Manzanita



*Aesclepias, sp.* | Milkweed



*Lavandula angustifolia 'Hidcote Blue'* | English Lavender



*Phormium, sp.* | New Zealand Flax



*Teucrium chamaedrys* | Wall Germander



*Carpenteria californica* | Bush Anemone



*Galvezia speciosa 'Firecracker'* | Island Bush Snapdragon



*Iris douglasiana 'Island Snow'* | Pacific Coast Iris



*Ribes sanguineum* | Red Flowering Currant



*Westringia 'Morning Light'* | Morning Light Coast Rosemary



*Rosmarinus officinalis 'Collingwood Ingram'* | Dwarf Rosemary


## fencing



STEEL PICKET FENCE - 3' HEIGHT



STEEL PICKET FENCE ALONG PRIVATE COURTYARD - 6' HEIGHT



WOOD FENCE - HORIZONTAL BOARD, 6' HEIGHT. MATERIALS PER OAK KNOLL DESIGN GUIDELINES



WOOD FENCE - BOARD-ON-BATTEN, 6' HEIGHT. MATERIALS PER OAK KNOLL DESIGN GUIDELINES




COMMUNITY FENCE, CONCRETE PANEL, 6' TALL

## paving



PRIVATE DRIVEWAY - INTEGRAL COLOR CONCRETE WITH SAWCUT JOINTS



PEDESTRIAN PAVING - INTEGRAL COLOR CONCRETE WITH ROCK SALT FINISH, SAWCUT JOINTS

## retaining wall



ANCHOR HIGHLAND STONE RETAINING WALL, SIZES 6X6X12, 6X12X12, 6X18X12, WITH HIGHLAND CAP. COLOR: MONTECITO. AS AVAILABLE FROM BELGARD, WEB SITE: WWW.BELGARD.COM

## bench



MAGLIN MLB870-W SERIES BENCH AS AVAILABLE FROM MAGLIN, WEB SITE: WWW.MAGLIN.COM


## play structure



FREESTANDING SWINGING AND SPINNING ELEMENTS



## entry sign



**UDU-10176**  
Duomo 1 Bollard

7144 NE Progress Ct | Hillsboro, Oregon 97124 | T:503.645.0500 | F:503.645.8100 | www.ligmanlightingusa.com



Diameter - 6.3" | Height - 29.7"/28.9" | Weight 15.8 lbs  
IP55 - Suitable For Wet Locations  
IK04 - Impact Resistant (Vandal Resistant)

**Construction**

**Aluminum.**  
Less than 0.1% copper content - Marine Grade 6060 extruded & LM6 Aluminum High Pressure die casting provides excellent mechanical strength, clean detailed product lines and excellent heat dissipation.

**Pre-paint**  
8 step degrease and phosphate process that includes deoxidizing and etching as well as a zinc and nickel phosphate process before product painting.

**Memory Retentive - Silicon Gasket**  
Provided with special injection molded "fit for purpose" long life high temperature memory retentive silicon gaskets. Maintains the gaskets exact profile and seal over years of use and compression.

**Thermal management**  
LM6 Aluminum is used for its excellent mechanical strength and thermal dissipation properties in low and high ambient temperatures. The superior thermal heat sink design by Ligman used in conjunction with the driver, controls thermals below critical temperature range to ensure maximum luminous flux output, as well as providing long LED service life and ensuring less than 10% lumen depreciation at 50,000 hours.

**Surge Suppression**  
Standard 10kv surge suppressor provided with all fixtures.

**BUG Rating**  
B0 - U3 - G1

**Finishing.**  
All Ligman products go through an extensive finishing process that includes fettling to improve paint adherence.

**Paint**  
UV Stabilized 4.9Mil thick powder coat paint and baked at 200 Deg C. This process ensures that Ligman products can withstand harsh environments. Rated for use in natatoriums.

**Hardware**  
Provided Hardware is Marine grade 316 Stainless steel.

**Anti Seize Screw Holes**  
Tapped holes are infused with a special anti seize compound designed to prevent seizure of threaded connections, due to electrolysis from heat, corrosive atmospheres and moisture.

**Opal Borosilicate Glass Lens**  
Provided with opal borosilicate impact resistant glass.

**Optics & LED**  
Precise optic design provides exceptional light control and precise distribution of light. LED CRI > 80

**Lumen - Maintenance Life**  
L80 /B10 at 50,000 hours (This means that at least 90% of the LED still achieve 80% of their original flux)

**Compact, screened bollard fixtures. Residential-scale, providing soft downward and vertical illumination.**





Duomo is a decorative bollard that is suitable for both modern and classic architecture. Ideal for creating visual guidance with exceptional visual comfort. This product was developed to complement the Duomo range of pillar lights, wall sconces and post tops. This sleek shape provides distinctive lighting effects by night and decorative urban effect during the day. Suitable for pedestrian precincts, building surrounds, shopping centers, squares and parks. The luminaire is provided with a opal borosilicate high impact glass lens that providing low glare vertical and horizontal illumination.

The Duomo Bollard comes standard with a unique waterproof internal driver housing compartment that is situated at the top of the pole to stop water and dust from entering the electrical components. This fixture is supplied completely wired with powercord and waterproof gland from the driver enclosure to the base of the bollard ensuring quick trouble-free installation. Custom bollard heights are available, please specify. Color temperature 2700K, 3000K and 4000K. Custom wattages can be provided to suit customer and Title 24 requirements. (Specify total watts per fixture)

**Security Bollard:**  
The Duomo Bollard is available as a traffic rated security bollard. This optional design includes a 1/4" wall thickness galvanized steel security pole with 2 solid 1" galvanized steel cross support rods that are embedded into concrete.

This security bollard provides restraint of vehicular traffic in unauthorized areas. Impact studies shows this bollard will stop a 5,500lb vehicle, travelling at 30mph. For additional strength, the galvanized pole can be filled with concrete up to the waterproof driver housing to provide a solid concrete barrier.

**Additional Options (Consult Factory For Pricing)**



**Duomo Product Family**



Ligman Lighting USA reserves the right to change specifications without prior notice. Please contact factory for latest information. Due to the continual improvements in LED technology and components, specifications may change without notice.

**UQB-20941**  
QBA Post Top

7144 NE Progress Ct | Hillsboro, Oregon 97124 | T:503.645.0500 | F:503.645.8100 | www.ligmanlightingusa.com



Length - 20.7"  
Height - 17.3"  
Weight 39.6 lbs  
IP54  
IK07  
EPA - 1.33  
**POLE NOT INCLUDED**

**Construction**

**Aluminum.**  
Less than 0.1% copper content - Marine Grade 6060 extruded & LM6 Aluminum High Pressure die casting provides excellent mechanical strength, clean detailed product lines and excellent heat dissipation.

**Pre-paint**  
8 step degrease and phosphate process that includes deoxidizing and etching as well as a zinc and nickel phosphate process before product painting.

**Memory Retentive - Silicon Gasket**  
Provided with special injection molded "fit for purpose" long life high temperature memory retentive silicon gaskets. Maintains the gaskets exact profile and seal over years of use and compression.

**Thermal management**  
LM6 Aluminum is used for its excellent mechanical strength and thermal dissipation properties in low and high ambient temperatures. The superior thermal heat sink design by Ligman used in conjunction with the driver, controls thermals below critical temperature range to ensure maximum luminous flux output, as well as providing long LED service life and ensuring less than 10% lumen depreciation at 50,000 hours.

**Surge Suppression**  
Standard 10kv surge suppressor provided with all fixtures.

**BUG Rating**  
B1 - U3 - G1

**Finishing.**  
All Ligman products go through an extensive finishing process that includes fettling to improve paint adherence.

**Paint**  
UV Stabilized 4.9Mil thick powder coat paint and baked at 200 Deg C. This process ensures that Ligman products can withstand harsh environments. Rated for use in natatoriums.

**Hardware**  
Provided Hardware is Marine grade 316 Stainless steel.

**Anti Seize Screw Holes**  
Tapped holes are infused with a special anti seize compound designed to prevent seizure of threaded connections, due to electrolysis from heat, corrosive atmospheres and moisture.

**High Impact Acrylic Lens**  
Manufactured with Ultra High Impact, Naturally UV Stabilized Injection Molded Acrylic.

**Optics & LED**  
Precise optic design provides exceptional light control and precise distribution of light. LED CRI > 80

**Lumen - Maintenance Life**  
L80 /B10 at 50,000 hours (This means that at least 90% of the LED still achieve 80% of their original flux)

**Sealed-optic urban post top. Traditional urban realm lighting post top, with external diffuser cover and clean lines**

A modern post top luminaire with excellent downward symmetrical light distribution and visual appeal. The precision optical system gives very low glare rating, while reducing light pollution. Designed for lighting entrances, footpaths and car parks.

Color temperature 2700K, 3000K, 3500K and 4000K, LED CRI >80 and life time 50,000 Hours. Low copper content die-cast aluminium housing with high corrosion resistance. Stainless steel fasteners in grade 316. Durable silicone memory retentive gasket and clear prismatic UV stabilized acrylic lens. Housing is treated with a nickel and zinc phosphate protection before powder coating, ensuring high corrosion resistance.

High performance COB LED light engine. White coating aluminium reflector on the top of luminaire. This luminaire is provided prewired with power cord to the handhole to simplify installation

**Additional Options (Consult Factory For Pricing)**




Ligman Lighting USA reserves the right to change specifications without prior notice. Please contact factory for latest information. Due to the continual improvements in LED technology and components, specifications may change without notice.

**OAK KNOLL**  
LANDSCAPE LIGHTING

FINAL DEVELOPMENT PLAN - PARCEL 24





**EXISTING TREES NOTES:**

THERE ARE NO EXISTING PROTECTED TREES WITHIN 10' OF THE CONSTRUCTION ACTIVITY PROPOSED FOR THESE PARCELS (6, 7, 9, 10, 11, 12, 19, 23 & 24.)


OAK KNOLL PHASE ONE INVOLVED EXTENSIVE REGRADING OF THIS SITE. AS PART OF PHASE ONE, MANY EXISTING TREES WERE RELOCATED AND REMOVED. THOSE REMOVED WERE MITIGATED IN BOTH THE CREEK RESTORATION PLANS AND THE STREET AND PARK CONSTRUCTION PLAN. NO TREE MITIGATION IS ANTICIPATED AS PART OF THE PARCEL DEVELOPMENT. TREE LOCATIONS SHOWN ON THIS PLAN ARE BASED ON EXISTING TREES TO REMAIN AND ARE PART OF THE TREE PERMIT FROM PHASE ONE.

OFFSITE STORMWATER TREATMENT FOR PARCEL SIX IS PROPOSED AT THE CORNER OF MOUNTAIN BLVD AND SEQUOYAH ROAD. SEVERAL EUCALYPTUS TREES WILL BE REMOVED AT THIS LOCATION. EUCALYPTUS ARE NOT PROTECTED TREES UNDER THE CITY OF OAKLAND'S TREE ORDINANCE.

An architectural rendering of a modern residential street. The scene features a row of multi-story houses with varied architectural styles, including gabled roofs and stone accents. The houses are surrounded by lush greenery, including trees and flowering bushes. In the foreground, a paved street is visible, with a few people walking and a stroller. The overall atmosphere is bright and sunny, with a clear blue sky and scattered clouds. A large, semi-transparent text box is centered over the image, containing the word "ARCHITECTURE" in a bold, blue, sans-serif font.

# ARCHITECTURE







OAK KNOLL  
SMALL LOT SINGLE-FAMILY HOME RENDERING  
FINAL DEVELOPMENT PLAN - PARCEL 24



**PLAN 1**  
MISSION  
SHOWN HERE  
ALSO WITH  
CRAFTSMAN & FARMHOUSE STYLE  
AND PORCH LAYOUT 'A'

2 BED + FAM. RM/OPT. BR, 2 BA + 2 PDR
LIVING AREA 2,307 SQ.FT
GARAGE AREA 487 SQ. FT

**PLAN 2**  
FARMHOUSE  
SHOWN HERE  
ALSO WITH  
MISSION & CRAFTSMAN STYLE  
AND PORCH LAYOUT 'B'

2 BED + FAM. RM/OPT. BR, 2 BA + 2 PDR
LIVING AREA 2,396 SQ.FT
GARAGE AREA 487 SQ.FT

**PLAN 3**  
CRAFTSMAN/BUGALOW  
SHOWN HERE  
ALSO WITH  
MISSION & FARMHOUSE STYLE  
AND PORCH LAYOUT 'C'


2 BED + FAM. RM/OPT. BR, 2 BA + 2 PDR
LIVING AREA 2,291 SQ.FT
GARAGE AREA 487 SQ

# OAK KNOLL


SMALL LOT SINGLE-FAMILY HOME ARCHITECTURAL STYLES

FINAL DEVELOPMENT PLAN - PARCEL 24


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




FIRST FLOOR (OPTION)  
BED 3 + BATH 3



FIRST FLOOR  
FOR HIGH VISIBILITY LOCATIONS



FIRST FLOOR OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

SMALL LOT SINGLE - FAMILY HOME - PLAN 1 TYPICAL FIRST FLOOR PLANS (CRAFTSMAN SHOWN HERE)

FINAL DEVELOPMENT PLAN - PARCEL 24





SECOND FLOOR



SECOND FLOOR  
FOR HIGH VISIBILITY LOCATIONS




SECOND FLOOR OPTION  
WRAP PORCH / PORCH LAYOUT 'C'



THIRD FLOOR



THIRD FLOOR  
FOR HIGH VISIBILITY LOCATIONS



THIRD FLOOR OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

SMALL LOT SINGLE - FAMILY HOME - PLAN 1 TYPICAL THIRD FLOOR PLANS (CRAFTSMAN SHOWN HERE)

FINAL DEVELOPMENT PLAN - PARCEL 24







FIRST FLOOR



SECOND FLOOR



THIRD FLOOR




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


SMALL LOT SINGLE - FAMILY HOME - PLAN 1 TYPICAL - FLOOR PLANS (FARMHOUSE SHOWN HERE)

FINAL DEVELOPMENT PLAN - PARCEL 24







ROOF PLAN  
WITH PORCH LAYOUT 'A'  
MISSION STYLE SHOWN HERE




ROOF PLAN  
WITH PORCH LAYOUT 'B'  
MISSION STYLE SHOWN HERE




ROOF PLAN OPTION WITH  
WRAP PORCH/ PORCH LAYOUT 'C'  
CRAFTSMAN STYLE SHOWN HERE









FIRST FLOOR (OPTION)  
BED 4 + BATH 3



FIRST FLOOR  
FOR HIGH VISIBILITY LOCATIONS



FIRST FLOOR OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

SMALL LOT SINGLE - FAMILY HOME - PLAN 2 TYPICAL FIRST FLOOR PLANS (FARMHOUSE SHOWN HERE)

FINAL DEVELOPMENT PLAN - PARCEL 24





SECOND FLOOR



SECOND FLOOR  
FOR HIGH VISIBILITY LOCATIONS



SECOND FLOOR OPTION  
WRAP PORCH / PORCH LAYOUT 'C'

# OAK KNOLL

SMALL LOT SINGLE - FAMILY HOME - PLAN 2 TYPICAL SECOND FLOOR PLANS (FARMHOUSE SHOWN HERE)

FINAL DEVELOPMENT PLAN - PARCEL 24


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



THIRD FLOOR



THIRD FLOOR  
FOR HIGH VISIBILITY LOCATIONS




THIRD FLOOR OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.


# OAK KNOLL

SMALL LOT SINGLE - FAMILY HOME - PLAN 2 TYPICAL THIRD FLOOR PLANS (FARMHOUSE SHOWN HERE)


FINAL DEVELOPMENT PLAN - PARCEL 24




**ROOF PLAN**  
**PORCH LAYOUT 'A'**  
 FARMHOUSE STYLE SHOWN HERE




**ROOF PLAN**  
**PORCH LAYOUT 'B'**  
 FARMHOUSE STYLE SHOWN HERE




**ROOF PLAN OPTION WITH**  
**WRAP PORCH / PORCH LAYOUT 'C'**  
 FARMHOUSE STYLE SHOWN HERE







**FIRST FLOOR (OPTION)**  
**BED 4 + BATH 3**  
**FARMHOUSE STYLE SHOWN HERE**



**FIRST FLOOR**  
**FOR HIGH VISIBILITY LOCATIONS**  
**FARMHOUSE STYLE SHOWN HERE**



**FIRST FLOOR OPTION WITH**  
**WRAP PORCH / PORCH LAYOUT 'C'**  
**MISSION STYLE SHOWN HERE**



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL FIRST FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 24





**SECOND FLOOR**  
FARMHOUSE STYLE SHOWN HERE



**SECOND FLOOR**  
FOR HIGH VISIBILITY LOCATIONS  
FARMHOUSE STYLE SHOWN HERE



**SECOND FLOOR OPTION**  
WRAP PORCH / PORCH LAYOUT 'C'  
MISSION STYLE SHOWN HERE

# OAK KNOLL

SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL SECOND FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 24


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



THIRD FLOOR  
FARMHOUSE STYLE SHOWN HERE



THIRD FLOOR  
FOR HIGH VISIBILITY LOCATIONS  
FARMHOUSE STYLE SHOWN HERE



THIRD FLOOR OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'  
MISSION STYLE SHOWN HERE


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


SMALL LOT SINGLE-FAMILY HOME - PLAN 3 TYPICAL THIRD FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 11







ROOF PLAN  
PORCH LAYOUT 'A'  
 FARMHOUSE STYLE SHOWN HERE




ROOF PLAN  
PORCH LAYOUT 'B'  
 FARMHOUSE STYLE SHOWN HERE



ROOF PLAN OPTION WITH  
WRAP PORCH / PORCH LAYOUT 'C'  
 MISSION STYLE SHOWN HERE







LEFT ELEVATION



FRONT ELEVATION



REAR ELEVATION




RIGHT ELEVATION

- 1 STUCCO
  - 2 HORIZONTAL SIDING
  - 3 BOARD & BATT SIDING
  - 4 SHINGLE SIDING
  - 5 VINYL WINDOW
  - 6 SHUTTERS AT ENHANCED ELEVATION
  - 7 WROUGHT IRON RAILING
  - 8 STANDING SEAM METAL ROOF
  - 9 FLAT CONCRETE TILE ROOF
  - 10 S-TILE ROOF
  - 11 GARAGE DOOR
  - 12 STANDING SEAM METAL CANOPY
  - 13 JULIET BALCONY
  - 14 WINDOW WOOD TRIM
  - 15 STONE VENEER
  - 16 EXTERIOR LIGHTING
  - 17 UTILITY LOCATION / ROOM TO BE DETERMINED
  - 18 A/C LOCATION
  - 19 PRIVACY FENCE AT END UNIT
  - 20 TILE ACCENT
  - 21 DECORATIVE WOOD RAIL
- ELEVATION KEY NOTES**



SEE ADDENDUM



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 1 ELEVATIONS - PLAN 2 FARMHOUSE WITH PORCH 'A' LAYOUT - HIGH VISIBILITY (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 AC LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 2 ELEVATIONS - PLAN 3 CRAFTSMAN W/ PORCH 'B' LAYOUT

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION



REAR ELEVATION




RIGHT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



SEE ADDENDUM




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 3 ELEVATIONS - PLAN 3 MISSION W/ PORCH 'B' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24






LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 4 ELEVATIONS - PLAN 2 CRAFTSMAN WITH PORCH 'A' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION


- 1 STUCCO
  - 2 HORIZONTAL SIDING
  - 3 BOARD & BATT SIDING
  - 4 SHINGLE SIDING
  - 5 VINYL WINDOW
  - 6 SHUTTERS AT ENHANCED ELEVATION
  - 7 WROUGHT IRON RAILING
  - 8 STANDING SEAM METAL ROOF
  - 9 FLAT CONCRETE TILE ROOF
  - 10 S-TILE ROOF
  - 11 GARAGE DOOR
  - 12 STANDING SEAM METAL CANOPY
  - 13 JULIET BALCONY
  - 14 WINDOW WOOD TRIM
  - 15 STONE VENEER
  - 16 EXTERIOR LIGHTING
  - 17 UTILITY LOCATION / ROOM TO BE DETERMINED
  - 18 A/C LOCATION
  - 19 PRIVACY FENCE AT END UNIT
  - 20 TILE ACCENT
  - 21 DECORATIVE WOOD RAIL
- ELEVATION KEY NOTES**



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 5 ELEVATIONS - PLAN 3 FARMHOUSE WITH PORCH 'A' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**




**SEE ADDENDUM**




REAR ELEVATION



RIGHT ELEVATION





LEFT ELEVATION



FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 7 ELEVATIONS - PLAN 2 FARMHOUSE W/ PORCH 'B' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 8 ELEVATIONS - PLAN 3 MISSION WITH PORCH 'C' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 9 ELEVATIONS - PLAN 2 FARMHOUSE WITH PORCH 'A' LAYOUT - HIGH VISIBILITY

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 10 ELEVATIONS - PLAN 3 MISSION WITH PORCH 'A' LAYOUT

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**




**SEE ADDENDUM**



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 11 ELEVATIONS - PLAN 1 CRAFTSMAN W/ PORCH 'B' LAYOUT

### FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION



REAR ELEVATION




RIGHT ELEVATION

- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**




**SEE ADDENDUM**



# OAK KNOLL

BUILDING 12 ELEVATIONS - PLAN 1 FARMHOUSE WITH PORCH 'A' LAYOUT  
FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 13 ELEVATIONS - PLAN 2 MISSIONW/ PORCH 'B' LAYOUT

### FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



REAR ELEVATION




RIGHT ELEVATION



# OAK KNOLL

BUILDING 14 ELEVATIONS - PLAN 3 CRAFTSMAN WITH PORCH 'A' LAYOUT  
FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 SHUTTERS AT ENHANCE CONDITION FACING STREET
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT

ELEVATION KEY NOTE




SEE ADDENDUM




REAR ELEVATION



RIGHT ELEVATION





LEFT ELEVATION



FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 16 ELEVATIONS - PLAN 1 FARMHOUSE W/ PORCH 'A' LAYOUT (REVERSE)

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTE



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 17 ELEVATIONS - PLAN 3 CRAFTSMAN WITH PORCH 'B' LAYOUT (REVERSE)

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION




FRONT ELEVATION

- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**




**SEE ADDENDUM**




REAR ELEVATION



RIGHT ELEVATION





LEFT ELEVATION




FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULET BALCONY                            |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



REAR ELEVATION



RIGHT ELEVATION



**SEE ADDENDUM**



# OAK KNOLL

BUILDING 19 ELEVATIONS - PLAN 1 CRAFTSMAN W/ PORCH 'A' LAYOUT (REVERSE)

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 21 ELEVATIONS - PLAN 3 MISSION WITH PORCH 'A' LAYOUT

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES




SEE ADDENDUM



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 22 ELEVATIONS - PLAN 3 CRAFTSMAN W/ PORCH 'A' LAYOUT

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT ELEVATION



FRONT ELEVATION


- |    |                                          |
|----|------------------------------------------|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | JULIET BALCONY                           |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



REAR ELEVATION



RIGHT ELEVATION



**SEE ADDENDUM**


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 23 ELEVATIONS - PLAN 3 FARMHOUSE WITH PORCH 'A' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION




# OAK KNOLL

BUILDING 24 ELEVATIONS - PLAN 2 MISSION W/ PORCH 'B' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.





LEFT ELEVATION



FRONT ELEVATION

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL


ELEVATION KEY NOTES



REAR ELEVATION



RIGHT ELEVATION



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

BUILDING 25 ELEVATIONS - PLAN 1 CRAFTSMAN WITH PORCH 'C' LAYOUT (REVERSED)

FINAL DEVELOPMENT PLAN - PARCEL 24





PLAN 3  
MISSION  
BLDG 8

PLAN 2  
FARMHOUSE  
BLDG 7

PLAN 1  
CRAFTSMAN  
BLDG 6

PLAN 1  
FARMHOUSE  
BLDG 5

PLAN 2  
CRAFTSMAN  
BLDG 4

PLAN 3  
MISSION  
BLDG 3

PLAN 3  
CRAFTSMAN  
BLDG 2

PLAN 2  
FARMHOUSE  
BLDG 1

**SEE ADDENDUM**



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## CREEKSIDE LOOP STREETSCENE ELEVATION (SOUTHERN PARCEL BOUNDARY)

FINAL DEVELOPMENT PLAN - PARCEL 24





PLAN 1  
CRAFTSMAN  
BLDG 19

PLAN 1  
MISSION  
BLDG 18

PLAN 3  
CRAFTSMAN  
BLDG 17

PLAN 1  
FARMHOUSE  
BLDG 16

PLAN 1  
MISSION  
BLDG 15

PLAN  
CRAFTSMAN  
BLDG 14

PLAN 2  
MISSION  
BLDG 13

PLAN 1  
FARMHOUSE  
BLDG 12

PLAN 1  
CRAFTSMAN  
BLDG 11

PLAN 3  
MISSION  
BLDG 10

PLAN 2  
FARMHOUSE  
BLDG 9

**SEE ADDENDUM**





Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## NORTHERN PARCEL BOUNDARY ELEVATION

### FINAL DEVELOPMENT PLAN - PARCEL 24





# OAK KNOLL

## STREET "J" STREETSCENE ELEVATION (EASTERN PARCEL BOUNDARY)

### FINAL DEVELOPMENT PLAN - PARCEL 24

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.


# OAK KNOLL

## PARCELS 23 & 24 SITE SECTION


### FINAL DEVELOPMENT PLAN - PARCEL 24




**B** WINDOW JAMB



**A** WINDOW HEADER



**C** WINDOW SILL



WINDOW WITH TRIM  
3 COAT STUCCO

N.T.S.  
DA © 2017 WDW1-VI-F-04

THE FINAL WINDOW MANUFACTURER CONTRACTED BY THE BUILDER AT THE TIME OF CONSTRUCTION PERMITS MUST ADHERE TO THE FOLLOWING REQUIREMENTS BASED ON TITLE 24, LOCAL CODE REQUIREMENTS, CITY REQUIREMENTS AND DESIGN INTENT OF THE ELEVATION STYLE AS FOLLOWS:

WINDOWS MAY BE MULLED TOGETHER TO ACHIEVE WIDER EXPANSES OF GLASS, BUT SHALL NOT EXCEED 12' IN TOTAL WIDTH. WINDOWS MAY HAVE DIVIDED LITES, A 2 OVER 2, 4 OVER 1, 4 OVER 4, 6 OVER 1, OR 6 OVER 6 MUNTIN PATTERN. TRUE DIVIDED LITES ARE PREFERRED, SIMULATED DIVIDED LITES, BETWEEN THE GLASS, ARE ACCEPTABLE, AND REMOVABLE DIVIDED LITES, ON TOP OF THE GLASS, ARE PROHIBITED. WOOD AND COMPOSITE TRIM MATERIALS ARE PERMITTED. FOAM TRIM IS NOT ALLOWED.



1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	JULIET BALCONY
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.


# OAK KNOLL

## MATERIALS AND COLORS BOARDS

FINAL DEVELOPMENT PLAN - PARCEL 24







- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## MATERIALS AND COLORS BOARDS

FINAL DEVELOPMENT PLAN - PARCEL 24





- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## MATERIALS AND COLORS BOARDS

FINAL DEVELOPMENT PLAN - PARCEL 24





- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 JULIET BALCONY
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



Mission Style Outdoor Wall Light  
For balcony, porch or near doorways



Mission Style Outdoor Wall Light  
For balcony, porch or near doorways



Arts & Crafts or Craftsman Style Outdoor Wall Light  
For balcony, porch or near doorways



Craftsman Style Outdoor Wall Lamp  
For balcony, porch or near doorways



Farmhouse Style Outdoor Wall Sconce  
For balcony, porch or near doorways



Farmhouse Style Outdoor Wall Mount Lantern  
For balcony porch or near doorways

NOTE:  
THESE ARE TYPICAL EXAMPLES.  
SUBSTITUTIONS & SPECIFIC MODELS  
MAY BE CHOSEN FOR FINAL DESIGNS

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## EXTERIOR LIGHT FIXTURES

FINAL DEVELOPMENT PLAN - PARCEL 24

OAK KNOLL  SunCal