

Planning and Building Department 250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612

INFO: (510) 238-3443 | https://www.oaklandca.gov/topics/secondary-units

APPLICATION FOR **Accessory Dwelling Units (ADUs)**IN CONJUNCTION WITH **TWO-To-Four-Family or Multifamily Residential Facilities***

	GENERAL INFORMATION		
Аррі	Applicant's Name/Company:		
	PERTY ADDRESS(ES):		
Exis	Existing Number of Living Units on Site:		
Pro	POSED NUMBER OF ADUS:		
DESC	CRIPTION OF PROPOSAL:		
For	ct Type(s) of Proposed Accessory Dwelling Unit(s) (ADUs): further details regarding the definitions and regulations for the different types of ADUs, please refer to the Step 1 Zoning Criteria cklist starting on page 7 of this application. Note that a lot may contain Category 1 and Category 2 ADUs. CATEGORY 1 ADU: CONVERSION OF A LEGALLY EXISTING, NON-HABITABLE SPACE, SUCH AS STORAGE ROOMS, BOILER ROOMS, PASSAGEWAYS, ATTICS, BASEMENTS, OR GARAGES LOCATED WITHIN LEGALLY EXISTING PORTIONS OF TWO-TO-FOUR FAMILY OR MULTIFAMILY DWELLING FACILITIES. NON-HABITABLE SPACE DOES NOT INCLUDE DETACHED ACCESSORY STRUCTURES, EXISTING RESIDENTIAL UNITS, COMMERCIAL SPACE, COMMUNITY ROOMS, GYMS, LAUNDRY ROOMS OR ANY FINISHED SPACES THAT ARE MEANT		
	TO BE OCCUPIED BY PEOPLE AND USED COMMUNALLY. CATEGORY 2 ADU: NEWLY CONSTRUCTED DETACHED ACCESSORY DWELLING UNIT, OR A CONVERSION OF A LEGALLY EXISTING DETACHED ACCESSORY STRUCTURE, ON A LOT WITH EXISTING TWO-TO-FOURFAMILY OR MULTIFAMILY DWELLING FACILITIES. A CONVERTED DETACHED ADU IS EITHER: WITHIN THE BUILDING ENVELOPE OF AN EXISTING DETACHED ACCESSORY STRUCTURE OR REBUILT IN THE SAME LOCATION AND TO THE SAME EXTERIOR DIMENSIONS.		
	CATEGORY 3 ADU: A NEWLY CONSTRUCTED OR CONVERTED ADU THAT IS INTERIOR OR ATTACHED TO A PRIMARY STRUCTURE, OR A COMBINATION OF NEW CONSTRUCTION AND CONVERSION, FOR THE PURPOSE OF CREATING ONLY ONE ADU ON THE LOT.		
*Сн	ANGE OF OCCUPANCY REGULATIONS PER THE CALIFORNIA EXISTING BUILDING CODE (CEBC) MAY APPLY WHEN ADDING ADUS.		

APPLICATION PROCESS

The application is broken down into a two-step process:

Step 1 involves meeting requirements of Planning and Zoning as provided by Step 1 on Page 2 below. Once Planning/Zoning has reviewed the application and has determined it meets the Step 1 Planning/Zoning requirements, then the applicant can proceed to Step 2.

Step 2 involves filling out the application and submitting all Building Plan requirements, as indicated by Step 2 on Page 2 below.

HOW TO APPLY:

- COMPLETE ALL REQUIRED INFORMATION, THE ADU CHECKLIST, REQUIRED DOCUMENTS, AND PLANS AS OUTLINED IN STEP 1 ON PAGE 2.
- SUBMIT A ZONING WORKSHEET AND UPLOAD YOUR COMPLETED ADU APPLICATION THROUGH THE ONLINE PERMIT CENTER.

GENERAL SUBMITTAL REQUIREMENTS CHECKLIST

Below is a brief overview of all the submittal requirements for both Step 1 and Step 2, but as stated above, Step 2 submittals are only needed after Step 1 is finished. **Please submit all applications and plans electronically to** <u>Online Permit Center</u>.

ΖO	NING REQUIREMENTS, STEP 1	BUILDING REQUIREMENTS, STEP 2			
	COLOR PHOTOGRAPHS OF PROPERTY & ADJACENT PROPERTIES	☐ PLANS SEE PAGES 14-15 FOR MORE DETAILED BUILDING PLANS AND DRAWING REQUIREMENTS			
	PLANS SEE PAGES 4-5 FOR MORE DETAILED PLAN, SURVEY, AND RELATED REQUIREMENTS	☐ TITLE BLOCK ☐ SCOPE OF WORK			
	LINE AND/OR TOPOGRAPHICAL SURVEY REQUIRED ONLY FOR BUILDINGS/ADDITIONS HAVING FOOTPRINT WITHIN 3 FEET OF A PROPERTY LINE OR ON SLOPES 20% OR MORE	☐ TITLE 24 ENERGY DOCUMENTATION ☐ SITE PLAN, SHOWING LOCATION OF PROPOSED NEW UTILITY METERS AS PER JOINT INFORMATIONAL BULLETIN			
	☐ SITE PLAN (EXISTING AND PROPOSED)	☐ DEMOLITION PLAN			
	☐ FLOOR PLANS (EXISTING AND PROPOSED)	☐ FLOOR PLANS			
	■ ELEVATIONS REQUIRED ONLY FOR NEW CONSTRUCTION PROJECTS, ADDITIONS, OR EXTERIOR ALTERATIONS	Construction SectionsElevations			
	CALGREEN CHECKLIST (SEE PAGE 13)	☐ FOUNDATION PLAN (FLOORS AND ROOF)			
	CREEK PROTECTION PERMIT	☐ FRAMING PLANS			
	REQUIRED ONLY IF ANY PROPOSED CONSTRUCTION ACTIVITY IS OCCURRING ON A CREEKSIDE PROPERTY (SEE PAGE 13)	DETAILS AND SECTIONS (REFERENCED FROM PLANS)			
	CHECKLIST FOR ACCESSORY DWELLING UNITS SEE PAGES 7-8 FOR PROJECT ZONING REQUIREMENTS	STRUCTURAL CALCULATIONS BOUNDARY SURVEY IS REQUIRED IF STRUCTURE			
	EVIDENCE OF LEGAL STATUS OF EXISTING NUMBER OF UNITS AND OF ACCESSORY STRUCTURES (MAY REQUIRE AN OAKLAND	APPEARS TO BE LESS THAN TEN FEET FROM A PROPERTY LINE			
	RESIDENTIAL RECORD (3R) REPORT)	■ ZONING APPROVAL STAMP			
	REQUIRED ONLY FOR NEW CONSTRUCTION PROJECTS (DETACHED, ATTACHED OR EXTERIOR ALTERATIONS):	☐ CHECKLIST FOR ACCESSORY DWELLING UNITS SEE PAGES 16-17 FOR PROJECT BUILDING REQUIREMENTS (ALL CATEGORIES)			
	☐ CROSS-SECTIONS REQUIRED ONLY FOR BUILDINGS OR ADDITIONS LOCATED ON A LOT WITH A SLOPE OF 20% OR MORE	□ EBMUD FIRE HYDRANT FLOW DATA REPORT IF THE PROPOSAL INVOLVES SUBSTANTIAL REHABILITATION OF			
	GRADING PLAN REQUIRED ONLY IF THE PROJECT PROPOSES ANY SITE GRADING	THE PRIMARY RESIDENTIAL FACILITY (VISIT ebmud.com/fire or call (510) 287-1842)			
	TREE SURVEY REQUIRED ONLY FOR PROJECTS THAT INVOLVE A TREE	DEED RESTRICTION (RESTRICTING SALE OF ADU FROM THE PRIMARY LIVING UNITS)			

PRESERVATION/REMOVAL PERMIT (SEE PAGE 5 & 12)

Step 1: Property Owner & Applicant Information Provide a copy of this signature page for EACH of the owners of ALL of the units in the building.

Unit No. or Address:			
Phone No.:	Alt. Phone No.:	E-mail:	
To be completed only if Appl	licant is not the Property Owner:		
I authorize the applicant indic	cated below to submit the application on my	behalfSignature of Property Owner	
	, if different from Owner(s):		
City/State:		Zip:	
Phone No.:	Alt. Phone No.:	E-mail:	
Variance, or exception from a	I understand that approval of this application does not constitute approval for any administrative review, Conditional Use Permit, Variance, or exception from any other City regulations that are not specifically the subject of this application. I understand further that I remain responsible for satisfying requirements of any private restrictions appurtenant to the property.		
I certify that I am the Applicant and that the information submitted with this application is true and accurate to the best of moved and belief. I understand that the City is not responsible for inaccuracies in information presented, and that inaccuracies may result in the revocation of planning permits as determined by the Planning Director. I further certify that I am the Owner of purchaser (or option holder) of the property involved in this application, or the lessee or agent fully authorized by the owner to make this submission, as indicated by the owner's signature above.			
I understand that statements made to me about the time it takes to review and process this application are general. I am aware that the City has attempted to request everything necessary for an accurate and complete review of my proposal; however, it may be necessary for the City to request clarifying information and/or materials after my application has been submitted and reviewed by City staff. I understand that any failure to submit the clarifying information and/or materials in a timely manner may render the application inactive and that periods of inactivity on the applicant's part do not count towards statutory time limits applicable to the processing of this application.			
I understand that the proposed project and/or property may be subject to other laws, codes, regulations, guidelines, restrictions agreements, or other requirements of other public agencies within or outside of the City of Oakland, and that the project and/o property may also be subject to requirements enforced by private parties. I am aware that the City recommends that I become full aware of any other potential requirements before I submit this application and that I comply with all other requirements prior to commencing the proposed project.			
I HEREBY CERTIFY, UNDER PI THIS APPLICATION IS TRUE A		HE ABOVE AND THAT ALL THE INFORMATION PROVIDED IN	
Signature of Owner or Autho	rized Agent	 Date	

Step 1: ZONING PLAN REQUIREMENTS

PDF P	PLAN SET FOR PLANNING PERMIT					
• Ir	Include north arrow, date prepared and scale.					
	Acceptable drawing scales are: $1/4'' = 1'$, $3/16'' = 1'$, $1/8'' = 1'$, and $1'' = 10'$.					
	Include the name, email and phone number of person preparing the plan.					
	pace for zoning stamp.					
اد ک	pace for zoning stamp.					
☐ (a	a) LINE AND/OR TOPOGRAPHICAL SURVEY (required only for the following project types listed below)					
•	equired for any building or addition with new or replacement footprint within 3 feet of a property line:					
_						
_	structures within 3 feet of the relevant property line(s).					
<u>K</u>	equired for any building or addition with new or replacement footprint located on a lot with a slope of 20%					
_	or more:					
•	Must be no more than 3 years old from the time of submittal – date of survey must be included.					
•	Must be prepared by a California State Licensed Land Surveyor or by a Civil					
•	Engineer with a license number below 33966 (licensed prior to January 1, 1982).					
•	<u>Include the wet stamp and signature</u> of the Land Surveyor or Civil Engineer who prepared the survey.					
•	Include the applicable surveyor's statement in accordance with the Professional Land Surveyors Act.					
•	In addition to paper copies, the survey must also be submitted in digital format.					
☐ (k	o) Site Plan					
•	Two site plans (one existing, labeled "Existing Site Plan" and one proposed, labeled "Proposed Site					
	Plan")					
	•					
	cuts (including curb-cuts on adjacent neighbor's lots), and streets.					
	spaces, bicycle parking spaces, maneuvering aisles, wheel-stops, pavement striping/marking, and					
	directional signage. Indicate existing and proposed paving materials.					
_	existing and proposed retaining walls.					
_	neighboring properties that are within 10 feet of construction.					
_	contours overlaid with proposed roof plan and indicating roof ridge spot elevations.					
	, 6					
	Location and size of storage area for recycling containers.					

STEP 1: ZONING PLAN REQUIREMENTS (continued)

	FLOOR PLAN Include complete floor plan of all floors of entire building, including existing and proposed work. Label all rooms (e.g., bedroom, kitchen, bathroom), and include dimensions of room sizes. Show locations of all existing and proposed doors, walls, and windows, including any window schedule (with information on recess, sash and trim material, manufacture). Location of and distance to all adjacent property boundaries. Label and identify location of primary Residential Facility and ADU (existing and proposed).
	ELEVATIONS Show all structure elevations (front, sides and rear) that will be affected by the proposed project. For additions/alterations: label existing and new construction, as well as items to be removed. Identify all existing and proposed exterior materials - including roofing, roof eaves, eave brackets, siding, doors, trim, sills, windows, fences, and railings. Show details of proposed new exterior elements. Show any exterior mechanical, duct work, and/or utility boxes. Include dimensions for building height (from grade to pitch) and wall length.
	CROSS SECTIONS (required only for buildings or additions located on a lot with a slope of 20% or more) Include all critical cross sections, including at least one passing through the tallest portion of the building. Include floor plate and roof plate elevation heights. Location of and distance to all adjacent property boundaries. Label the location of the cross-sections on the site plan.
	TREE SURVEY (required only for projects which involve a Tree Preservation/Removal Permit) Include north arrow, date prepared and scale (Tree Survey should be drawn to the same scale as the Site Plan). Include the name & phone number of person preparing the plan(s). As appropriate or required, include the stamp & "wet signature" of any licensed architect, landscape architect, surveyor and/or civil engineer preparing final plans. Indicate the size (dbh), species, and location of all protected trees within 30 feet of development activity on the subject lot, regardless of whether the protected trees are included on any tree preservation/removal permit application. Label all protected trees that are located within 10 feet of construction (including trees located on neighbor's properties or the adjacent public right-of-way) with the matching number or letter from the Tree Preservation/Removal Permit application (see page 9 of this application).
(g)	GRADING PLAN (required only if the project proposes any site grading) Show proposed grading plan and/or map showing existing and proposed topographic contours (this may be combined with the Site Plan for small projects with only minor grading). Include an erosion & sedimentation control plan. Include a summary table of all proposed excavation, fill, and off-haul volumes.

(Please complete addition	Step 1: Zoning Peri Conal sheets if the propo			ategory 1 ADUs	s).
CALCULATIONS	Existing Pre-Project	Demolition	New Proposed	Total Post-Project	% Change (Existing/Total
Total Lot Area (sq. ft.)		N/A	N/A	N/A	N/A
Primary Residential Facility Characterist	tics:				
Floor area (sq. ft.)					
Footprint (sq. ft.)					
Building height (ft.)					
Type and Number of ADUs (list for each):				
Total ADUs (number)					
Category 1 (number)					
Category 2 (number)					
Category 3 (number)					
ADU – floor area (list square feet for ea	ch):				l
Category 1 - #1 (sq. ft.)					
Category 1 - #2 (sq. ft.)					
Category 1 - #3 (sq. ft.)					
Category 2 - #1 (sq. ft.)					
Category 2 - #2 (sq. ft.)					
Category 3 (sq. ft.)					
ADU – footprint (list square feet of each	n):				
Category 2 - #1 (sq. ft.)					
Category 2 - #2 (sq. ft.)					
Category 3 (sq. ft.)					
ADU – Height (list for each):	T				
Category 2 - #1 (ft.)					
Category 2 - #2 (ft.)					
Category 3 (ft.)					
Location of Category 1 ADUs (specify pr	evious use, such as gara	ge, attic, baser	ment, boiler	room, etc):	
Category 1 - #1					
Category 1 - #2					
Category 1 - #3					
Onsite Parking Spaces (number)					

Step 1: ZONING CRITERIA CHECKLIST

Applicant's Name:	Project Address:		
Accessory Dwelling Units (ADUs) may only be granted if the applicant can check "YES" or "N/A" (as provided) to EACH of the following:			
1) ALL ADUS (must be co	ompleted for all proposals)		
YES NO The AD	U is in a zoning district and in the portion of the building or lot where Residential Facilities are allowed.		
YES NO The AD	U is on a lot with a Two-To-Four-Family or Multifamily Residential Facility.		
YES NO The flo	or area of the ADU(s) contain at least a minimum square-footage that permits an Efficiency Dwelling Unit.		
primar refrige	DU has an independent entrance and has a private bathroom and kitchen that are independent from the y Residential Facility. The kitchen shall include all the following: a sink, cooking facility with appliances, rator, a food preparation counter, and storage cabinets that are of a reasonable size in relation to the size dwelling unit. The kitchen must be within the building envelope of the proposed ADU.		
YES NO N/A	The side and rear setbacks of the ADU(s) are 4 feet, or the regularly required setback, whichever is less, but in no case shall be less than 3 feet. <i>Please check N/A only if the ADU is internal.</i>		
YES NO N/A	Any uncovered parking spaces (parking without a roof supported by columns) that are required for the primary Residential Facilities are maintained or replaced on the lot. (The replacement parking must meet standards of OMC Section 17.16 and may be tandem as set forth in OMC Section 17.116.240.A.)		
YES NO N/A	No additional parking is required because the ADU is located within the mapped "No Parking for ADUs Area": (a) one-half (½) mile of a public Transit Stop; (b) an Area of Primary Importance (API) or Area of Secondary Importance (ASI), as defined in the General Plan's Historic Preservation Element; (c) an area where on-street parking permits are required but not offered to the ADU occupant; or (d) one block of a dedicated car share parking space. (Please check N/A only if the ADU requires additional parking.)		
YES NO N/A	Any upper story balconies, decks, or rooftop terraces associated with the ADU meet the regular requirements of the underlying zone. (<i>Please check N/A only if the proposal does not add any upper story balconies, decks, or rooftop terraces.</i>)		
YES NO N/A	No mechanical equipment such as water heaters, heating/cooling condenser, or any other similar equipment is proposed in the minimum required side setbacks. <i>Please check N/A only if any proposed equipment in the required setbacks is consistent with OMC Section 17.108.130 (I), and mechanical equipment meets the noise performance standards of OMC Section 17.120.050.</i>		
YES NO The A days.	DU will not be used as a short-term rental facility; rentals must be for periods longer than 30 consecutive		

(continued)

The "No Parking for ADUs" area can be found on the City's online zoning map: www.oaklandca.gov/resources/zoning-map.

2) ADUS ASSOCIATED WITH PROPERTIES LISTED IN THE CALIFORNIA REGISTER OF HISTORIC RESOURCES

STEP 1:	
Resources Director	property is listed in the California Register of Historic Resources, please review the Built Environment ry (BERD) for Alameda County, found here: https://ohp.parks.ca.gov/?page_id=30338. The BERD is available r spreadsheet for Alameda County.
YES NO	Property is located in the BERD. If yes, move to Step 2. If no, please skip to Section 3.
begins with a "1" c	listed in the BERD, please review the column titled "Evaluation Info," to find your status code. If your status code or "2," please complete the section below. For further information on the California Register of Historic review this <u>FAQ from the California Office of Historic Preservation.</u>
☐ Please write	e the status code of the property; if beginning with a "1" or "2":
Section 2 must be "2". Please skip to	completed only if the property is listed in the BERD and has a status code beginning with a "1" or Section 3 if not.
YES 🗌 NO 🗌 N/	A DUs located at the front or side of a primary Residential Facility and visible from the public right-of-way include: the same roof pitch, visually matching exterior wall material, predominant door and window trin sill, recess, and style as the primary residential structure.
yes 🗌 no 🗌 n/	A Attached or detached garages located to the front or side of a primary Residential Facility and converted to an ADU replace the garage doors with visually similar exterior wall materials, building colors, and door and window trim as the primary residential structure.
For the option of	approving alternative finishes or styles please follow the Small Project Design Review (DS) application process per OMC Section 17.136.030.
YES NO NO	The proposed ADU is NOT located in front of a primary Residential Facility unless the lot conditions or other zoning requirements preclude an ADU of a minimum size (up to 800 sq. ft. and up to 16 feet in height) elsewher on the lot. (Checking Yes indicates the proposed ADU is not in the in front of the primary Residential Facility or visible form the public right-of-way.)
YES NO NO	The proposed ADU has been considered for location on the lot in the following order of preference: First, behind the primary Residential Facility structure; Second, to the side of the primary Residential Facility; Last, in front of the primary Residential Facility.
YES 🗌	The applicant is aware that a Case Planner reviewing the ADU proposal will consult with Historic Preservation staff. The Case Planner may request additional information to ensure compliance with the objective design standards specified in Section 2A above if the ADU is proposed in front of the primary Residential Facility with Historic designation and visible from the public right-of-way.
	(continued)

3) ADUS/JADUS IN S-9 FIRE SAFETY PROTECTION COM	ARINING ZONE (S.O ZONE)
	within the S-9 Zone. Please skip to Section 4 if your lot is not within the S-9
https://oakgis.maps.arcgis.com/apps/webappviewer/ind	
YES NO The total number of existing and pro	posed ADUs of any type does not exceed one (1) per lot.
YES NO The proposed ADU is one Category 1 below to confirm eligibility for a Cate	ADU. If you select "NO" please review additional Exceptions in section 3A egory 2 ADU:
3A) Exceptions for ADUs in the S-9 Zone: Complete this partial must be met to be eligible. Please check one that approximately	portion only if the proposal is for a Category 2 ADU. At least one exception plies:
17.131. A request may be approved for reasons accommodate a full-time live-in caregiver for a Please review the Reasonable Accommodation https://www.oaklandca.gov/documents/request-	lication for Reasonable Accommodation Request pursuant to OMC Chapter including a disability of a permanent occupant of the ADU or a need to permanent resident with disability is attached to this application. Application to see if you may qualify: St-for-reasonable-accommodations-for-persons-with-disabilities Hable Accommodation Application together with this ADU application.
	-OR-
☐ Exception 2: At least one (1) additional off-stre off-street parking spaces for the primary reside	et parking space is created on the lot in addition to any regularly required ntial facilities.
YES NO Any lost off-street parking space(s) a	is a result of creation of this ADU is replaced elsewhere on the lot.
YES NO The maximum height of the propose	ed ADU is no more than 16 feet.

(continued)

4) <u>CATEGORY 1</u> (1	must only be completed if proposal includes this type of ADU)
YES NO	The Category 1 ADU(s) is/are located within existing non-habitable space ² , such asstorage rooms, boiler rooms, passageways, attics, basements, or garages within an existing Two-To-Four-Family or Multifamily Residential Facilityand involves no expansion of building envelope.
YES NO	The number of Category 1 ADUs is either one (1) ADU or no more than 25% of existing units perTwo-To-Four-Family or Multifamily Residential Facility ³ , whichever is greater.
YES NO	The Category 1 ADU is limited by the size (sq. ft.) of the existing non-habitable space.
YES NO	The Category 1 ADU has its own private bathroom.
YES NO	The height of the Category 1 ADU is consistent with the base zone.
5) CATEGORY 2 (must only be completed if proposal includes this type of ADU)
YES NO	The Category 2 ADU is outside the S-9 Fire Safety Protection Combining Zone. Please follow the link below for a map to verify if your lot is outside the S-9 Zone. If your lot is within the S-9 Zone, please complete Section 3 above before continuing with this section. https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec96534
YES NO	The Category 2 ADU(s) is/are located: (a) in newly constructed detached structure(s); or (b) legally existing detached accessory structure(s) that is converted and involve no expansion of the existing building envelope; or (c) in legally existing detached accessory structures rebuilt in the same location and to the same exterior dimension as the existing detached accessory structure(s) on a lot with an existing or proposed Two-To-Four-Family or Multifamily Residential Facility.
YES NO	The number of existing and proposed Category 2 ADUs is no more than two (2) per Two-To-Four-Family or Multifamily lot.
YES NO	The Category 2 ADU(s) has a floor area ratio (FAR), lot coverage, front setback and rear setback coverage are consistent with regulations of the underlying zone, except where the requirements would preclude creating no more than two (2) ADUS.
YES NO	The existing open space requirements, as established by the base zone, are maintained, except where requirements would preclude creating no more than two (2) ADUs.
YES NO	The height of the Category 2 ADU(s) does not exceed 18 feet. If the Category 2 ADU meets the regular setback requirements of the underlying zone, then the maximum height is established by the base zone. If the Category Two ADU is proposed in front or side of a primary structure the maximum height is sixteen (16) feet.
YES NO N/	Any portion of the newly constructed Category 2 ADU(s) has a setback of at least 4 feet from the rear and side lot lines or meets the regularly required setback of the zoning district, whichever is less. (<i>Please check N/A only if the Category 2 ADU is within the building envelope of an existing detached accessory structure or rebuilt in the same location and to the same exterior dimensions.</i>)

(continued)

² Non-habitable space does **not** include detached accessory structures, existing residential units, commercial space, community rooms, gyms or any other spaces that are meant to be occupied by people.

 $^{^{3}}$ All calculations that result in a fractional number shall be rounded up to the nearest whole number.

6)	CATEGORY 3	must only be completed if proposal includes this type of ADU)	
YES	s 🗌 no 🗌	The number of existing and proposed Category 3 ADUs is no more than one (1) per Two-To-Four-Family or Multifamily lot.	
YES	S	The Category 3 ADU floor area does not exceed 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for two bedrooms or more. The total floor area includes all areas within the ADU.	
YΕ	s 🗌 no 🗌	The Floor Area Ratio (FAR) and front setback are consistent with the regulations of the underlying zone, except where these requirements would preclude creating no more than one Category 3 ADU of no more than 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for two bedrooms or more.	
YES	s 🗌 no 🗌	Existing open space requirements of the underlying zone are satisfied, except where the requirements would preclude one Category 3 ADU of no more than 850 sq. ft. for a studio or one-bedroom or 1,000 sq. ft. for 2-bedrooms or more.	
YES	s 🗌 no 🗌	Any portion of the newly constructed attached Category 3 ADU has a setback of at least 4 feet from the rear and side lot lines or meets the regularly required setback of the zoning district, whichever is less.	
		The height of the Category 3 ADU is consistent with the base zone.	
I ha	ave reviewed th	e above checklist and certify that the project conforms to all applicable criteria for Step 1.	
Ap	plicant's Signatu	Date	
Reviewer's Signature		re Date	

STEP 1: TREE PRESERVATION ORDINANCE

Pursuant to the Tree Preservation Ordinance (§12.36 O.M.C.) a Tree Preservation/Removal Permit is required for any proposed construction activity within 10 feet of a Protected Tree, even if such trees are not being removed or if they are located on a neighbor's property or in the public right-of-way (e.g., sidewalk).

The following are "Protected Trees" under the Tree Preservation Ordinance:

- a. Any Coast Live Oak tree that is larger than 4 inches in diameter at breast height (dbh)
- b. Any tree (except Eucalyptus or Monterey Pine) that is larger than 9 inches dbh*
- c. Any tree of any size located in the public right-of-way (including street trees)

Reason(s) for removal/impacting of trees: ______

	(1)	of the pr	eno existing Protected Trees anywhere on the subject property or within 10 feet oposed construction activities (including neighbor's properties or the adjacent ht-of-way).		
	(2)		e Protected Trees on the subject property or within 10 feet of the proposed construction activities, and their is indicated on the site plan and landscape plan and (check one); No Protected Trees are to be removed and No construction activity will occur within 10 feet of any Protected Tree.		
		□ (b)	No Protected Trees are to be removed and Construction activity will occur within 10 feet of any Protected Tree.		
		☐ (c)	Protected Trees will be removed.		

4	If you checked (2b) or (2c),	a Tree Preservation/Removal	l Permit is required.	Please complete the section below.
---	------------------------------	-----------------------------	-----------------------	------------------------------------

DESCRIPTION OF TREES: (Identification numbers and letters must be consistent with the Tree Survey – See submittal requirements.)

Trees proposed for removal				Trees <u>not</u> proposed for removal but located within 10 feet of Construction Activity	1
#	Species	dbh*	#	Species	dbh*
1			Α		
2			В		
3			С		
4			D		
5			E		

*	dbh: "diameter at breast height" is determined by measuring the trunk at 4'-6" from the ground. Multi-trunked trees are
	measured by combining the diameters of all trunks at 4'-6" from the ground.

STEP 1: CREEK PROTECTION ORDINANCE

Pursuant to the Creek Protection, Storm Water Management and Discharge Control Ordinance (§13.16 O.M.C.) a Creek Protection Permit is required for any proposed construction activity occurring on a Creekside property. The extent to which your development will be regulated by the Creek Protection Ordinance depends upon the location and type of proposed work.

I, T	I, THE APPLICANT/OWNER, ATTEST THAT: (check one)							
	(1)		I do not know whether there is a Creek on or near the proposed project site. I have submitted a					
		req	uest fo	or a Creek Determination by the City of Oakland (separate form and fee required).				
	(2)	No Creek exists on or near the project site; (check one)						
			(a)	Based on my review of the characteristics of the project site, as well as all relevant maps and plans; or				
			(b)	Based on the attached report prepared by a relevant licensed professional.				
		Ho	wever,	if the City determines that a Creek exists on or near the project site, a Creek Protection Permit is required.				
	1 (3) A Creek DOES exist on or near the project site and (check one)							
			(a)	The proposed project only entails <u>interior</u> construction, and therefore requires a <u>Category 1 Creek Permit</u> (this is a no fee permit and only requires distribution of educational materials); or				
			(b)	The proposed project entails exterior work that <u>does not</u> include earthwork and is located more than 100 feet from the centerline of the Creek, and therefore requires a <u>Category 2 Creek Permit</u> (this permit requires a site plan and distribution of educational materials); or				
			(c)	The proposed project entails (a) exterior work that is located between 20 feet from the top of the Creek bank and 100 feet from the centerline of the Creek, and/or (b) exterior work that includes earthwork involving more than three (3) cubic yards of material located beyond 20 feet from the top of the Creek bank, and therefore requires a <u>Category 3 Creek Permit</u> (this permit requires a site plan and creek protection plan and may require environmental review); or				
			(d)	The project entails exterior work conducted from the centerline of the Creek to within 20 feet from the top of the Creek bank, and therefore requires a <u>Category 4 Creek Permit</u> (this permit requires a site plan and creek protection plan and may require environmental review and a hydrology report).				
				STEP 1: GREEN BUILDING REQUIREMENTS				
Checorov ncre addi	cklist (d isions eases t tion or	down of C the b ralte	iload a haptei uilding eration	rnia Green (CALGreen) Building Standards Code, all new residential construction requires completion of a CALGreen that https://aiacalifornia.org/calgreen-checklists). Further, Title 24, Part 11, Section 301.1.1 states that the "mandatory of 4 shall be applied to additions or alterations of existing residential buildings where the addition or alteration of sconditioned area, volume, or size. The requirements shall apply only to and/or within the specific area of the a." As such, any Accessory Dwelling Unit (ADU) that meets these conditions is also subject to Chapter 4 CALGreen are outlined here: https://codes.iccsafe.org/content/CAGBC2022P3/chapter-4-residential-mandatory-measures.				
I, T	НЕ АР	PLIC	ANT/0	OWNER, ATTEST THAT: (check all that apply)				
				g a completed CALGreen Checklist with my application.				
☐ (2) If constructing an Accessory Dwelling Unit (ADU) that meets the conditions as quoted above in code Section 301.1.1, I acknowledge that I also MUST comply with all Chapter 4 CALGreen mandatory measures and obtain verification by a qualified third-party inspector. I am submitting any additional green building plans with this application.								
			arty ins	spector. I am submitting any additional green building plans <u>with this application</u> .				
Sun	thii	rd-pa		Spector. I am submitting any additional green building plans with this application. BUILDING FEATURES NOT SHOWN ON PLANS BUT PART OF CALGREEN CHECKLIST:				

Step 2: BUILDING PLAN REQUIREMENTS

(3) PLAN SETS REQUIRED

1. TITLE BLOCK					
Address of Property, Owner, and Designer/Contact person with daytime phone number and email. APN. Sheet Number					
2. LIST OF BACKGROUND INFORMATION					
Scope of Work – Descriptive narration of what the project will consist of. Owner's name, code information includes	ding				
code year, occupancy and construction type. Include a sheet index, Zoning designation, and Assessor's Parcel N	umber.				
Show square footage (for each level) of existing living space, added living space and total.					
3. TITLE 24 ENERGY DOCUMENTATION					
(For all areas to become conditioned space.)					
CF1R Energy forms to be printed on plans. Make certain all signatures are completed. The forms need to be rea	dable so				
please don't reduce them in size.					
4. SITE PLAN Scale: 1/8" = 1' or 1/10" = 1'					
Show outline of the building and distances to property lines. Show any accessory structures, retaining walls,					
sidewalks, streets, meters, curb cuts, driveways, trees. Show North arrow and scale. Boundary Survey					
is required if structure appears to be within ten (10) feet from property lines.					
5. DEMOLITION PLAN Minimum Scale: 1/4" = 1'					
Label all rooms. Show items to be demolished as dashed. Clearly indicate which part of the structure is to remain	in.				
6. FLOOR PLAN Minimum Scale: ¼" = 1'					
Label all rooms (existing and new). Clearly distinguish between new walls and walls to remain. Show all walls with	h double				
lines. Show all windows and doors including sizes, types and egress windows. Show dimensions of all rooms. Sh	ow all				
major equipment locations including water heater (ADU to have permanent access), HVAC (ADU to have permanent	nent				
access), electrical panels, washer/dryers, plumbing fixtures, cabinets, etc. Clearly indicate fire/sound rated walls	5.				
7. Construction Sections Minimum Scale: 3/4" = 1'					
Show major section through area of work including showing all major components. Clearly indicate fire/sound r	ated				
assemblies. Show ceiling heights. Show insulation including type & R-value.					
8. EXTERIOR ELEVATION(s) Minimum Scale: 1/4" = 1'					
Show/indicate all finishes, new and existing. Show all items such as windows, doors, decks, stairs, etc. Clearly d	istinguish				
what elements are existing and which will be added/changed.					
9. FOUNDATION PLAN Minimum Scale: 1/4" = 1'					
Provide if the foundation will be replaced, altered, or required to support additional loading. Show dimension	s –				
Provide details showing how existing or new foundations meet current code. Show hold downs and brace/shea	r wall				
locations and lengths. Indicate location and size of access openings. Show connections to existing & use detailing	g to				
show further information.					
10. Framing Plans Minimum Scale: 1/4" = 1'					
(For EACH floor and/or roof.)					
Show size, direction and spacing of all joists and beams. Clearly show how any existing framing will be altered in	order to				
meet current code requirements.					
11. DETAILS AND SECTIONS					
Drawn large enough to show the specific construction and referenced from framing plans. Stairways, fire/sound					
separation between units, moisture barrier under the floor slab, foundation wall waterproofing and drainage, et	C.				
12. STRUCTURAL CALCULATIONS					
(For non-conventionally framed construction.)					
13. ZONING APPROVAL STAMP ON PLANS					

After completing the minimum required items for submittal, please include this form with your submittal package. NOTE: Plan Check may require additional clarifying information after submission.

STEP 2: RECOMMENDED GENERAL STANDARDS FOR DRAWINGS SUBMITTED WITH BUILDING PERMIT APPLICATIONS



PRO TIP: If these recommended standards are followed, it will speed the permit and plan check process, provide for more durable jobsite copies, aid the Planning & Building Department when adding standard sized City information sheets and reduce problems during construction.

STANDARD REQUIREMENTS:

ACCEPTABLE SHEET SIZE: $22" \times 34"$ or $24" \times 36"$ is preferred. $18" \times 24"$ minimum, $36" \times 48"$ maximum. Drawings should be standard drawing size: $18" \times 24"$, $22" \times 34"$, $24" \times 36"$, $18" \times 24"$, $30" \times 42"$, or $36" \times 48"$. Sets of 4 or less $8 \%" \times 11"$ or $11" \times 17"$ are not desirable, but will be taken in.

If drawings were done at a smaller size (11" x 17" or 8 $\frac{1}{2}$ " x 11"), applicant can "paste up" to a standard size and have a Xerox vellum master run at a printing company. These can be used to make the bluelines or blacklines prior to submitting for permit.

Standard size bluelines of odd-sized originals are acceptable if all information is shown on the blueline.

BORDER REQUIREMENTS: 1 ½" minimum at left-hand bound edge, ½" minimum elsewhere; each sheet should have borderlines.

TITLE BLOCK REQUIREMENT: Each sheet shall have title block indicating (1) Project title and address; (2) Owner's name, mailing address, daytime phone and fax number; (3) drawing preparer's name, address, daytime phone and fax number; (4) pertinent Consultant's name(s), mailing address, phone and fax number(s): (5) sheet number of total number or sheets (i.e.: 1 of 7, 2 of 7, etc.); (6) revision number, and (7) indication of latest date of preparation, printing.

ELECTRONIC STAMP: Provide blank spots 3" wide x 4" tall on each sheet of the plans to allow for electronic stamps to be placed.

NOT ACCEPTABLE:

- **1.DRAWINGS LESS THAN 18" X 24"** (or set with more than 4 sheets of 8 $\frac{1}{2}$ " x 11" or 11" x 17". Smaller drawings make plan checking more time consuming and difficult, are more easily lost or damaged, lack of room for borders results in poor copies and lost information, and tendency to omit information if there is a lack of drawing space.) **OR LARGER THAN 36" X 48"** (too large to handle in plan check cubicles).
- **2.XEROXED COPIES** (not durable for job site).
- **3.ORIGINAL DRAWINGS** (can be easily altered during permit issuance).
- **4.DIFFERENT SIZE SHEETS IN A DRAWING SET** (except survey and/or plot plan may be different size from the other drawings if they are the same size as each other).
- **5.DRAWINGS TAPED TOGETHER, OR SHEETS WITH SMALLER DRAWINGS TAPED, STAPLED, OR PASTED ON** (these are not durable and will tend to get torn or ripped off).
- 6.DRAWINGS WITH INFORMATION ADDED IN RED EXCEPT BY CITY STAFF.
- **7.DRAWING SHEETS WITHOUT BORDERS OR WITH INFORMATION CROSSING OVER BORDERS** (information may be lost due to misalignment when having copies made at the printer).
- **8.DRAWINGS WITH LETTERING LESS THAN 1/8-INCH-HIGH OR ILLEGIBLE LETTERING** (not suitable for microfilming or making reduced size copies).
- 9. UNBOUND, UNSTAPLED DRAWING SETS
- 10. DRAWINGS WITHOUT TITLES, PERTINENT ADDRESS AND PHONE NUMBERS, OR WITHOUT PREPARER'S WET SIGNATURE ON EACH SHEET
- 11. POOR QUALITY BLUELINE OR BLACKLINE COPIES WITH POOR CONTRAST OR DIRTY BACKGROUND.

Step 2: Building Permit Information			
TYPE OF PERMIT:			
		BUILDING	
		DEMOLITION (SF)	
VALUATION OF PRO	POSED WORK	\$	
# OF STORIES:			
OCCUPANCY:		R-3	
TYPE OF CONSTRUCT	TION:	V-B	
DESIGN OCCUPANT I	LOAD:		
EXISTING FIRE SPRIN	KLERS:	YES NO	
CONTRACTOR'S LICE	NSE NUMBER:		
		NG CRITERIA CHECKLIST	
Applicant's Name:		Project Address:	
DRX Project Application Nu	umber:		
Accessory Dwelling Linits (4	ADLIS) may only be granted if the a	pplicant can check "YES" or "N/A" to EACH of the following:	
Accessory Dwelling Offics (ibos, may omy be granted if the a	pplicant can eneck 125 of 14/7 to Effect of the following.	
GENERAL BUILDING C	ODE REQUIREMENTS		
	E APPLICABLE REQUIREMENTS AN CALIFORNIA EXISTING BUILDING C	ND PROVISIONS OF THE CALIFORNIA BUILDING CODE, CALIFORNIA ODE.	
ADU'S REQUIRE SEPARATE	ADDRESSES. JUNIOR ADU'S MAY	NOT BE ADDRESSED SEPARETELY FROM THE PRIMARY DWELLING.	
YES NO N/A	ADU and primary residential facility each has an independent entryways/exits (means of egress) to the exterior point of discharge of the existing building or to the public right of way. Primary entry/exit and path of travel to ADU meets code requirements for stairs, handrails, landings, headroom, door width, etc. ADU path of egress shall not be through the primary or other dwellings.		
YES NO N/A	UTILITIES: Newly Constructed detached ADU structures shall be All-Electric per OMC 15.37; ADU will not require separate electrical connection (drop) from PGE; ADU has access to its own electrical panel; ADU plumbing branch connection to the sewer lateral does not exist underneath the primary residential facility; Attached ADU: one (1) gas meter exists per each dwelling unit (except if ADU has no vented appliances, in which case one gas meter may serve two units), plus one (1) for a common area (i.e., laundry facilities); Detached ADU: no gas appliances allowed. Detached ADU has its own water shutoff valve where service enters building or attached ADU without separate water shutoff has integral stops or fixture shutoffs; each dwelling unit has permanently installed heating and water heating facilities with its own access to controls and equipment. Per California Public Utility Commission CPUC 780.5 ADUs shall have separate electrical meter (except JADU).		
YES NO N/A	walls below grade include damp	nts for moisture barriers and damp proofing (foundation and foundation proofing, waterproofing, drainage, and vapor retarder), braced wall panels ode requirements (for new construction or conversion of non-habitable	
		(continued)	

STEP 2: BUILDING CRITERIA CHECKLIST (continued)

YES NO N/A	Buildings dug down meet code requirements for new construction at that lower level and include engineering plans for the foundation and for the gravity and lateral load resisting system of the building.
YES NO N/A	ROOM DIMENSIONS: ADU ceiling height is not less than 7 feet-6 inches for habitable space, hallways, and portions of basements containing these spaces, and 7 feet for bathrooms, toilet rooms, and laund rooms; has a combined living, eating, and sleeping room not less than 150 square feet, and an additional 100 square feet of superficial floor area per occupant in excess of two (2) occupants; has a separate permanent clothes closet.
YES NO N/A	ADU is located entirely within the subject property and meets required building fire separation distance requirements (may require Surveyor certification).
YES NO N/A	ADU shall be heated separately. Each tenant or owner shall have access to their own mechanical heating equipment and water heater. A central Mechanical Room is permitted provided that each tenant or owner has access without being compelled to pass through another unit. Heating, Air conditioning or ventilating systems shall not combine return air supply from separate dwelling units.
YES NO N/A	BUILDING SAFETY: All exterior walls of the ADU are appropriately fire-rated based on Fire Separation Distance, Construction Type, and applicable provisions of the California Building Code (CBC). No wall openings exist less than 5 ft. (3 ft if sprinklered) to property line. All separation walls and floor/ceiling assemblies, plus their supporting construction for attached units, are appropriately fire and/or smoke rated per the applicable provisions of the CBC. Fire sprinklers are installed in entire building when total floor area (ADUs plus Primary Residential Facility) exceeds 3,600 sq. ft. as a result of an addition or when changes of occupancy classification occur. Fire sprinklers are installed in ADUs when the primary residential facility is required to be protected by fire sprinklers.
YES NO N/A	If the proposal is for a new, or substantial rehabilitation of an existing, primary residence, the nearest hydrant has a flow greater than 1,000 gallons per min. (gpm) and minimum pressure of 20 pounds per sq. inch (psi).
YES NO N/A	Attached ADUs require minimum Sound Transmission Classification (STC) rating 50-45 when tested pe American Society for Testing and Materials (ASTM) E90 or STC 50.
YES NO N/A	All other building code requirements are met.
new building and not a conv construction, field condition	struction of greater than 50% of an existing building will require a demolition permit and will be considered a version for the purpose of determining applicable building Codes as per Code Bulletin D-18-001. If during as warrant removal of more than 50% of the building a revision shall be submitted <u>prior</u> to continued removal g or moving of buildings is subject to Code bulletin D-18-001.
I have reviewed the above	e checklist and certify that the project conforms to all applicable criteria for Step 2.
Applicant's Signature	
Reviewer's Signature	