

<b>Location:</b>	<b>Oak Knoll Development – Parcel 10; 8750 Mountain Boulevard</b>
<b>Assessor’s Parcel Number(s):</b>	<b>043A467500321</b>
<b>Proposal:</b>	Oak Knoll Final Development Permit (FDP) for Parcel 9 includes the construction of 23 detached single-family residences which includes modification to the front setback for the garage from 15' to 5' from a private access easement/private drive or court.
<b>Applicant:</b>	Marc Magstadt, SunCal
<b>Contact Person/ Phone Number:</b>	Jeff Stevens, Danielian Associates/(949) 474-6030
<b>Owner:</b>	Oak Knoll Venture Acquisitions LLC
<b>Case File Number:</b>	PLN15378-PUDF08
<b>Planning Permits Required:</b>	Final Development Permit compliance with CEQA
<b>General Plan:</b>	Hillside Residential
<b>Zoning:</b>	D-OK-2 Oak Knoll District Residential Zone - 2
<b>Environmental Determination:</b>	Final Supplemental EIR certified on Nov. 7, 2017
<b>Historic Status:</b>	Non-Historic Property
<b>City Council District:</b>	7
<b>Finality of Decision:</b>	Planning Commission, appealable to City Council
<b>For Further Information:</b>	Contact case planner <b>Michele T. Morris</b> at <b>510-238-2235</b> or by e-mail at <b>mmorris2@oaklandca.gov</b>


**SUMMARY**

The proposed project is a Phase 1 Final Development Permit (FDP) for construction of 23 detached single-family residential units on Parcel 10 in the Oak Knoll Planned Unit Development (PUD). Parcel 10 is adjacent to Rifle Range Creek, opposite Parcel 12 and adjacent to Parcel 11 along the new Creekside Loop which is currently only accessible from Mountain Boulevard.

**PROJECT SITE AND SURROUNDING AREA**

Oak Knoll Development encompasses an 84.7-acre site east of Interstate 580 (I-580) and is located approximately 9 miles southeast of downtown Oakland. Mountain Boulevard and the I-580 freeway to the west; Keller Avenue to the north and east; and Sequoyah Road, a City-owned property, and residential neighborhoods to the south. Parcel 9, the project site, is currently not accessible, but will be accessible from a new road, Creekside Loop (see Attachment A).

# CITY OF OAKLAND PLANNING COMMISSION



Case File: PLN15378-PUDF08  
Applicant: David Soyka and Marc Magstadt - SunCal  
Address: 8750 Mountain Boulevard  
Zone: D-OK-2

## PROJECT BACKGROUND

### *Planned Unit Development History*

In 1996, the Naval Medical Center Oakland property was subject to a Final Reuse Plan that presented five land use alternatives for the reuse of the property. The Maximum Capacity Alternative within the Final Reuse Plan included a) 584 residential units, b) 400, 000 sq. ft. of commercial space, and c) 32 acres of open space. The Maximum Capacity Alternative was approved by the Oakland City Council as the preferred alternative.

In 2005, SunCal Oak Knoll, LLC proposed the “former Oak Knoll Project” which included 960 residential units, 82,000 sq. ft. of commercial space and 53 acres of open space. The “former Oak Knoll Project” was not approved.

### *Approved Oak Knoll Entitlements*

The Oak Knoll Development was submitted in 2015 and approved in November 2017. The approval included General Plan Amendments, Rezoning, Planned Unit Development/Preliminary Development Plan, Final Development Plan for Master Developer Site Improvements, Final Development Permit (FDP) for Relocation and Rehabilitation of Club Knoll, Design Review, Vesting Tentative Tract Map, and a Creek Permit. The 2017 approved project is referred to as “Oak Knoll.”

Oak Knoll includes:

- 918 residential units of varying types;
- 72,000 sq. ft. of neighborhood serving commercial in the Village Center;
- 14,000 square feet of civic/commercial use, including relocation of the historic Club Knoll to the center of the Project site with 4,000 sq. ft. of community space and 10,000 sq. ft. of commercial space;
- Approximately 67.6 acres of open space and recreation areas, including four new public parks, a system of trails, bikeways, and walkways;
- Restoration and enhancement of the Rifle Range Creek, Powerhouse Creek and Hospital Creek corridors (16.7 acres);
- Three phases of development; and
- Street network designed as "complete streets" for the safe and comfortable travel of all transportation modes.

The following provides a summary of the status of the Oak Knoll Development:

- Land Use Entitlement: The Oak Knoll Project Supplemental Environmental Impact Report (SEIR) was certified and the General Plan Amendment, Rezoning, Vesting Tentative Tract Map, Creek Permit, and the Oak Knoll PUD was approved on November 7, 2017.
- Construction-Related Permits:
  - Grading Permit: The applicant has received a Grading permit for Phase 1 of the development which includes Parcel 6 and Parcel 12.

- Bridge Permits: The applicant has received construction related permits for the pedestrian and vehicular bridge located in Phase 1.
- Public Improvements: The applicant has applied for and received the Public Infrastructure on Private Property (PX) permit for the public improvements in Phase 1, including the streets and utilities.
- Club Knoll: The historic Club Knoll has a series of Building Permits associated with it, including demolition, alteration, and reconstruction.
- Compliance with Conditions of Approval: The relocation of Club Knoll has been completed and restoration is underway. Public improvement permits, various alternate method construction permits and Private infrastructure permits for on-site improvements are under review. The City and the applicant are actively working on formation of the Community Facilities District (CFD), Geologic Hazard Abatement District (GHAD) and Subdivision Agreement.
- Tree Permit Amendment: An amendment to the approved Tree Removal Permit was received on May 3, 2021. The amendment proposes to remove 394 additional trees and requires compliance with California Environmental Quality Act (CEQA).
- Final Development Permits:
  - FDP for Club Knoll was approved with the PUD on November 7, 2017
  - FDP for Phase 1 Master Developer Site Improvements was approved with the PUD on November 7, 2017
  - FDPs for Phase 1 Residential Development Parcels. The Master Developer has submitted eight FDPs for Phase 1, which are in various stages of City review:
    - Parcel 6: Townhomes. Approved by the Planning Commission on December 8, 2021.
    - Parcel 12: Townhomes. Approved by the Planning Commission on December 8, 2021.
    - Parcel 11: Alley homes. Deemed complete and under review
    - Parcel 19: Alley homes. Deemed complete and under review
    - Parcel 23: Alley homes. Deemed complete and under review
    - Parcel 24: Alley homes. Deemed complete and under review
    - Parcel 9: Court homes. Deemed complete and under consideration by DRC.
    - Parcel 10: Court homes. Deemed complete and under consideration by DRC at this meeting (and the subject of this report).

## PROJECT DESCRIPTION

The proposed Parcel 10 project includes 23 residential units. Plans, elevations and illustrations are provided in **Attachment A** to this report. In general, the proposed plans include the following characteristics:

- Style: The proposed residential development includes stylistic references to common and vernacular California architectural styles, including Craftsman, farmhouse, and mission architectural styles.
- Site Planning: The proposed FDP includes 23 small lot, detached single-family, garden court homes with one home per lot.

- Unit Types: Parcel 9 proposes two-story and three-story court homes which offer between three and five bedrooms depending on the number of stories and the floor plan of home.
- Parking: Each unit has a two-car attached garage, for a total of 46 off-street parking spaces.

## GENERAL PLAN ANALYSIS

The Parcel 9 project site is in the Hillside Residential General Plan land use designation. The intent of the Hillside Residential land use designation is “to create, maintain, and enhance neighborhood residential areas that are characterized by detached, single unit structures on hillside lots.” However, the Land Use Element further describes the Desired Character and Use in this designation to involve future development “remain[s] residential in character.” The master planned Oak Knoll PUD allows for development of up to 918 residential units.

The following is an analysis of how the proposed project meets applicable General Plan objectives (staff analysis in indented, italicized text below each objective):

- Objective N3: Encourage the construction, conservation, and enhancement of housing resources to meet the current and future needs of the Oakland community.
  - Policy N3.9 – Facilitating Housing Construction. Orienting Residential Development. Residential developments should be encouraged to face the street and to orient their units to desirable sunlight and views, while avoiding unreasonably blocking sunlight and views for neighboring buildings, respecting the privacy needs of residents of the development and surrounding properties, providing for sufficient conveniently located on-site open space, and avoiding undue noise exposure.
    - *The proposal will deliver market rate housing that will intensify and support new uses in the South Hills area of Oakland. Front entry porches and front-facing gables provide sunlight and views.*
- Objective N6: Encourage a mix of housing costs, unit sizes, types, and ownership structures.
  - *The proposed project will include garden court homes consisting of two-story and three-story options with three-, four-, or five-bedroom floor plans to accommodate a variety of home ownership opportunities.*

## ZONING ANALYSIS

Parcel 10 is located within the South Hills area of the Oakland hills in the D-OK-2 Oak Knoll District Residential Zone - 2 (D-OK-2). The intent of the D-OK-2 Zone is to create, maintain, and enhance areas suitable for medium-low density single-family homes. The zoning district provides medium-low density housing development. The following discussion outlines the purpose of the D-OK-2 regulations, with staff analysis provided below in indented, italicized text:

- Create, maintain, and enhance areas suitable for medium-low density single-family homes.
  - *The proposed project is a market-rate housing project that will diversify living and home ownership opportunities in the Oak Knoll Development.*

### *Zoning Analysis*

Criteria	OK-2	Proposed	Analysis
<b>Land Use</b>			
Permanent Residential	P	P	Allowed
Multi-family Dwelling Facility	P	P	Allowed
Density	1 primary unit per lot	1 unit per lot (23 units total)	Complies
Maximum Lot Coverage	55%	Plan 1: 46% Plan 2: 50% Plan 3: 42%	Complies
Front Setback	8 ft.	8 ft.	
Minimum garage front setback when accessed from a private drive aisle.	15 ft.	5 ft.	Does not comply - Applicant is requesting an exception for 5 ft. setback from the private drive aisle.
Maximum wall height primary building	35 ft/3 stories	approx. 27 ft/3 stories	Complies
Maximum pitched roof height	35 ft	35 ft	Complies
Parking	1 space per dwelling unit	Two-car garages per unit	Complies

### *Oak Knoll Design Guidelines*

The Oak Knoll Design Guidelines compliance matrix for Parcel 10 is provided in **Attachment B** to this report. Where the project is not in compliance with any specific guideline, as noted in the compliance matrix, the lack of compliance is discussed in the *Zoning and Related Issues* section of this report.

## **ZONING AND RELATED ISSUES**

### *Design*

Staff has worked with the applicant and architect to refine the proposed design for the Parcel 10 site. Staff reviewed the proposed project against the Oak Knoll Design Guidelines (see Attachment B). The project meets the following key guidelines:

Design Guideline	Compliance Analysis
<i>3.5 High Visibility Façades</i>	
Corner lot façades	Complies
High Visibility Façades - Open Space	Complies

Corner lot court homes include entrances that face the street and have been enhanced with quality design elements such as stone veneer columns with wide pedestals to add to the exterior material changes for visual impact. For high visibility facades, the use of porches and balconies are encouraged on these facades, and have been designed with their visibility in mind, as well as the privacy of the homeowner.

### *Issues*

Staff would like the DRC to consider the following issues:

Design Guideline	Compliance Analysis
<i>2.5 Driveways and Garage Placement</i>	
Driveway width in front of 2 car garages should be 18' wide at garage entry allowing for two off-street parking spaces in front of garage	Does not comply
<i>3.9 Garages - Garage Dimensions</i>	
Exceptions may be granted through the Design Review process to allow the garage face closer to the front lot line.	Does not comply
<i>3.3 Massing - Primary Volumes - Additive Building Elements</i>	
Additive building elements like porches and dormers should follow the rhythm of the facade composition. Wraparound porches are encouraged on corner lots, as well as projected window bays.	Does not comply
<i>3.6 Openings – Windows</i>	
Shutters	Does not comply

- **2.5 Driveways and Garage Placement and 3.9 Garages - Garage Dimensions.** The project complies with the underlying zoning regulations, with the exception of the front setback for garages, where five feet is proposed instead of the required 15 feet. PUD Design

Guidelines allow for an exception to be granted for shorter minimum front setbacks for garages under Design Review.

- *Does the DRC think an exception to be granted to shorten the front setback for garages from 15 feet to five feet?*
- **3.3 Massing – Primary Volumes – Additive Building Elements and 3.6 Openings – Windows.** The three different court home plans lack additive building elements such as projected window bays, shutters or other decorative details. More additive elements should be incorporated at the sides of the homes. Shutters are listed as exterior materials for enhanced elevations, but this is not evident on the elevations.
  - *Does the DRC think more additive building elements should be used on the court homes?*

## RECOMMENDATION

Staff recommends the DRC review and comment on the proposed Oak Knoll Development Parcel 10 FDP, with attention to the issues raised by staff in this report, and forward this application to the Planning Commission for consideration of approval. Staff believes that any recommended revisions can be addressed prior to consideration by the Planning Commission.

Prepared by:



---

Michele T. Morris, Planner III

Reviewed by:



---

Catherine Payne, Development Planning Manager  
Bureau of Planning

### Attachment:

- A. Parcel 10 Proposed Plans, dated January 4, 2022
- B. Parcel 10 Design Review Conformance Matrix



**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
<b>2.0 Planning Guidelines</b>		
<b>2.1 Oak Knoll Neighborhoods</b>		
Retail Village area is designed as a modestly-sized gathering spot to provide basic needs to the community (such as groceries, restaurants, banking).	Not applicable	<i>Parcel 9 is not located in a Retail Village. This guideline is intended for development that "a cluster of buildings at varying scales fronting a 'Principal Drive' and a 'Plaza.'"</i>
Creekside Village neighborhoods are medium density residential areas laid out in the lowland areas flanking the restored Rifle Range Creek corridor.	Complies	<i>Parcel 12 is located in a Creekside Village neighborhood.</i>
The Uplands is the residential development designed to maximize views as well as provide a pleasing appearance as viewed from adjacent areas.	Not applicable	<i>Parcel 9 is not located in The Upland neighborhood.</i>
<b>2.2 Neighborhood Streetscape</b>		
High Visibility Façades -- Street Facing	Complies	Proposed residences comply with this guideline and corresponding Arch. Guideline #3.3 Massing Primary Volumes - Building Orientation
High Visibility Façades -- Open Space Facing	Complies	Proposed townhomes comply with this guideline and corresponding Arch. Guideline #3.3 Massing Primary Volumes - Building Orientation

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Architecture Diversity and 'The Monotony Code' - For each single-family detached lot type, there must be a minimum of three (3) unique floor plan types, with three (3) façade variations each:	Complies	The proposal complies with this guideline for the proposed court homes by featuring three different floor plan types
A different porch or stoop type will be considered a façade variation;	Complies	Rear patios have been incorporated into the design to achieve façade variation.
No two (2) detached homes of the same design may be repeated within two (2) adjacent lots on a given Block Face or a facing Block Face;	Complies	The court homes have been placed so that no two adjacent lots contain the same architectural design.
Homes on corner lots are encouraged to have architectural features such as wrap porches, side porches, or bay windows facing the secondary street.	Complies	The corner lots propose covered porches with arched openings and second floor decks with wrought iron railings.
Both the front as well as side facing façade on corner lots will be considered High Visibility Facades.	Complies	The proposal highlights compliance this requirement on the site plans.
<b>2.3 Commercial</b>		
Building placement that reinforces the concept of the Plaza and orients and service areas away from the Plaza while keeping them screened from view from Mountain Blvd.	Not applicable	This is a proposal for a residential development.
70% glazing on facades directly fronting the plaza and 50% glazing on facades fronting pedestrian pathways.	Not applicable	This is a proposal for a residential development.
Awning and trellis overhead canopies to provide outdoor shade and shaded gathering areas.	Not applicable	This is a proposal for a residential development.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Sidewalk widths at primary retail facades sufficient to provide tree planting, signage, furnishings, lighting, and outdoor seating areas where appropriate to adjacent retail use.	Not applicable	This is a proposal for a residential development.
Hardscape and Planting that reinforces the outdoor pedestrian realm, but provides equal access to vehicular traffic.	Not applicable	This is a proposal for a residential development.
Retail Plaza	Not applicable	This is a proposal for a residential development.
Architectural and Landscape Character - The Character of the Retail village should be inspired by the open-air neighborhood shopping districts typical to the Bay Area	Not applicable	This is a proposal for a residential development.
<b>2.4 Townhomes</b>		
Create a 'sense of address' and a front door for each unit by providing 'door yards,' gates, and access to public streets and paseos.	Not applicable	This is a proposal for detached court homes, not townhomes.
All units should feature covered entry areas either in the form of a stopp or entry porch.	Not applicable	This is a proposal for detached court homes, not townhomes.
Variation of design is encouraged and corner units should be treated differently than middle units.	Not applicable	This is a proposal for detached court homes, not townhomes.
End facades should treated as high visibility and should feature windows, entries where appropriate, and other design features normally on the front façade.	Not applicable	This is a proposal for detached court homes, not townhomes.
Odd numbers of units in a row are encouraged.	Not applicable	This is a proposal for detached court homes, not townhomes.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Stepping between units is encouraged to provide private balconies and a varied building frontage as viewed from the street.	Not applicable	This is a proposal for detached court homes, not townhomes.
Landscape planting should be integrated in with streetscapes and provide screening for parking and alleys. Please refer to the Preliminary Development Plan for example designs for Paseos and Pocket Parks.	Not applicable	This is a proposal for detached court homes, not townhomes.
<b>2.5 Building Massing and Placement</b>		
Massing, building setback and height are considered in more detail in the Architectural Guidelines	See 3.0 Architectural Guidelines	See 3.0 Architectural Guidelines
<b>2.5 (aka 2.6) Driveways and Garage Placement</b>		
Refer to Chapter 4.0, Landscape Guidelines, for allowable paving materials for driveways.	See 4.0 Landscape Guidelines	See 4.0 Landscape Guidelines

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

<b>Design Guideline</b>	<b>Compliance Analysis</b>	<b>Discussion</b>
<b>3.0 Architectural Guidelines</b>		
<b>3.1 The 'Bay Area' Regional Style</b>		
Building which connect to and are inspired by the natural setting.	Complies	The court homes connect well with the natural setting.
Simple building mass with additive elements	Complies	The court homes incorporate several additive elements.
Natural materials (wood, stone, terra cotta, stucco)	Complies	Exterior materials such as wood, stucco, stone veneer and board and batten siding are proposed.
Subdued earth-tone paint colors and light colored stuccos.	Complies	The exterior colors incorporate earth-tone paint colors, stuccos, s-tiled roofs, and stone.
<b>3.2 Architectural Style Matrix - By Family</b>		
Arts & Crafts: Craftsman Bungalow; Shingle; Tudor; Arts and Craft	Complies	The proposal includes Craftsman styled court homes.
Mediterranean: Spanish Colonial; Mission; Tuscan	Complies	The proposal includes Mission styled court homes.
Californian: Farmhouse; California Modern (mid-century modern); California Contemporary	Not applicable	The proposal includes Farmhouse styled court homes.
<b>3.3 Massing - Primary Volumes</b>		
<i>Building orientation</i>		
Secondary Volumes	Complies	Mostly gable roof profiles.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Additive Building Elements	Does not comply	More additive elements should be incorporated at the sides of the homes. Shutters are listed as exterior materials for enhanced elevations, but this is not evident on the elevations.
<i>3.4 Roofs</i>		
Roof materials	Complies	Flat concrete tile, standing seam metal, s-tile roofs are proposed.
Successful roof designs	Complies	The proposed design complies with this guideline by proposing gable roofs and roof slopes that complement each architectural style of building.
Dormer sizing	Complies	The proposed design and sizing are appropriate for the architectural designs and comply with this guideline
Dormer siding	Complies	The proposed design and sizing are appropriate for the architectural designs and comply with this guideline
<i>3.5 High Visibility Façades</i>		

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
High Visibility Façades - Open Space - Use of porches and balconies are encouraged on these facades, and they should be designed with their visibility in mind, as well as the privacy of the homeowner	Complies	Porches and balconies have been included on high visibility façades.
Corner lot façades - Corner lot façades shall have consistent details and elements on elevations facing both streets. The rhythm of openings established on the entry façade shall continue on the side façade that faces the street, and divided window patterns shall be consistent on both elevations.	Complies	Entrances that face the street and have been enhanced with high quality design elements such as stone veneer columns with wide pedestals to add to the exterior material changes for visual impact.
Additive façade elements - Once the design of the High Visibility Facade openings has been determined, additive building elements like porches and dormers should follow the rhythm of the facade composition. Wraparound porches are encouraged on corner lots, as well as projected window bays. Porch columns should be spaced equally to either side of facade openings.	Complies	Porches and balconies have been included on high visibility façades of corner lots.
Successful execution of second façade - Secondary Facades that successfully follow the above guidelines will support a composition of the Bay Area home that is balanced and continuous rather than one-sided and fragmented.	Complies	The proposed design has been revised to increase articulation to the wall façades such as using a mix of contrasting exterior materials.
<i>3.6 Openings - Windows</i>		

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Window types	Complies	Casement, single-hung, true or simulated divided lite windows with wood trim.
Window proportions and trim	Complies	The proposed design provides details on window proportions and trim and complies with this guideline.
Shutters	Does not comply	Shutters are listed on elevations but are not evident on the elevation drawings
<b>3.7 Exterior Doors</b>		
Exterior main entry doors can be flat or traditionally paneled doors. Please refer to the Architectural Style Matrix on page 30 for design recommendations by style.	Complies	Exterior main entry doors are traditionally paneled.
<b>3.8 Porches and Stoops</b>		
Types - The porch or stoop is the signature element of an Oak Knoll home. As such, all homes must have either a porch or stoop.	Complies	The proposed design complies with this guideline.
Porch Dimensions	Complies	The proposed design complies with this guideline.
Porch Details	Complies	The proposed design complies with this guideline.
Stoops	Complies	The proposed design complies with this guideline.
Porch Materials	Complies	The proposed design complies with this guideline.
<b>3.9 Garages</b>		



**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

<b>Design Guideline</b>	<b>Compliance Analysis</b>	<b>Discussion</b>
Garage Dimensions	Complies	The proposed design complies with this guideline.
Garage Details	Complies	The proposed design complies with this guideline.
<b>3.10 Lighting</b>		
Architectural Lighting	Complies	The proposed design complies with this guideline.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
<b>4.0 Landscape Guidelines</b>		
<i>4.1 Landscape Vision</i>		
<i>4.2 Streetscape Design</i>		
<i>4.3 Open Space Design</i>		
The existing grassland on the upper hillside and areas of existing preserved oak woodland are protected natural resources.	Not applicable	Not applicable to this parcel.
The lower hillside will be extensively planted as a restored oak woodland natural setting, consisting of several native oak species, Toyon and California Buckeye.	Not applicable	Not applicable to this parcel.
The restored Rifle Range Creek will be revegetated with an appropriate and diverse native plant community to recreate a natural setting that benefits wildlife, and includes a multi-use trail serving the community. Refer to Oak Knoll Mixed Use Community Development Project Regulatory Permit Application Package.	Not applicable	Not applicable to this parcel.
Tree mitigation occurs site-wide in a variety of locations. Refer to the Tree Removal Permit Package for recommended mitigation locations and species.	Not applicable	Not applicable to this parcel.
<i>4.4 Parks and Plaza Design Intent</i>		
The parks should emphasize use of native trees, shrubs, and groundcovers in both organic and formal settings. Refer to the Neighborhood Streetscape Plant List for Proposed Plants.	Not applicable	Not applicable to this parcel.
Parks should incorporate community-wide furnishings and signage consistent with other design elements in the community.	Not applicable	Not applicable to this parcel.
Parks should provide shaded seating areas, picnic tables, and trash receptacles.	Not applicable	Not applicable to this parcel.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Hardscape areas should avoid asphalt and large expanses of concrete. Natural stone, pavers, high quality stamped concrete, and decomposed granite should be utilized in the appropriate settings.	Complies	Hardscape areas will avoid large expanses of concrete and natural pavers and other high quality materials are proposed.
<i>4.5 Community Trails and Recreation</i>		
Emphasis is on use of natural materials and simple treatments that are indeed to integrate fully with the natural setting.	Complies	The proposed design complies with this guideline.
Use of reclaimed timber for benches, signage, and trail markers with opportunities to incorporate hand-crafted artisan designs.	Not applicable	Not applicable to this parcel.
Trails for Oak Knoll are classified as follows: Hiking Trails; Multi-Use Path (Walking/Running/Biking); Neighborhood Path; Bike Route	Not applicable	Not applicable to this parcel.
Location of the trails system should meet the following design objectives: Safety; Connectivity to on-site and off-site destinations; Diversity in a experiences and user types; conforms to site attributes, opportunities, and constraints.	Not applicable	Not applicable to this parcel.
<i>4.6 Signage and Monumentation</i>		
<i>4.7 Walls</i>		
Site Retaining Walls		
The approved site retaining wall is: Pavestone 'Anchor Diamond Pro' Retaining Wall; Face Style; Straight; Color: Sandstone Blend.	Complies	The proposed design complies with this guideline.
<i>4.8 Residential Landscape Design</i>		
Oak Knoll landscapes and gardens are versatile, imaginative, and offer a range of expressions.	Complies	The proposed design complies with this guideline.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Landscapes encourage a relaxed, informal, and practical approach while accommodating contemporary lifestyles.	Complies	The proposed design complies with this guideline.
Landscapes are designed to respond to unique characteristics, such as lot configuration, topography, existing vegetation, and the design and location of the house and ancillary structures.	Complies	The proposed design complies with this guideline.
<i>4.9 Single Family Residential</i>		
Integrate the built environment with a dominant landscape	Complies	The proposed design complies with this guideline.
Blend landscapes between lots and neighborhood streets as a unified community landscape setting.	Complies	The proposed design complies with this guideline.
Establish a healthy, sustainable, and natural landscape environment.	Complies	The proposed design complies with this guideline.
Prioritize front yard landscapes to reinforce neighborhood streets as livable, walkable places. The combination of front porches and front yard gardens within the private frontages activate the streetscape, and shall contribute to a consistent, high quality neighborhood landscape.	Complies	The proposed design complies with this guideline.
Low groundcovers have low water requirements and are composed in drifts, using selections from the Approved Plant (see Appendices).	Complies	Climate adapted and drought tolerant groundcover and low shrubs are proposed for ornamental planting.
Three general landscape zones have been defined for each home site: front yard zone, side yard zone, and rear yard zone.	Complies	The proposed design complies with this guideline.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
<p>Front yards on sloped lots guidelines: Front yard slopes may not exceed 2:1; Retaining walls, if used, should be terraced where possible and not exceed a maximum height as set forth in the Zoning Ordinance; and Retaining walls shall be integrated with shrub planting to soften and screen walls.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>
<p><b>4.10 Side and Rear Yard Fencing</b></p>		
<p>All fencing may either slope with grades or adjust as vertical offset between panels. Offsets shall not exceed 12-inches.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>
<p>All fencing between adjoining lots shall have a height of 6-feet. Corner lots and end lots are encouraged to reduce fence heights at side yards to allow views with a minimum height of 4-feet.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>
<p>All fencing shall be softened with flowering vines and shrubs to soften their visual appearance where visible from public areas.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>
<p>A few upper hillside home sites with sloped rear yards in excess of 20% shall utilize the Approved Hillside Fence in the rear yard.</p>	<p>Not applicable</p>	<p>Not applicable to this parcel.</p>
<p>Lots with pools and spas require fencing and gates that meet all applicable codes.</p>	<p>Not applicable</p>	<p>Not applicable to this parcel.</p>
<p>Typical side and rear yard fencing is a solid cedar or redwood fence with a stained finish.</p>	<p>Not applicable</p>	<p>Not applicable to this parcel.</p>
<p>For upland lots with rear yards with onsite and offsite visibility, rear yard fencing, if used, shall use the Approved Hillside Fence to ensure visual consistency.</p>	<p>Not applicable</p>	<p>Not applicable to this parcel.</p>
<p><b>4.11 Retaining Walls on Lots</b></p>		

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
Use of stucco, brick, painted brick, or natural stone veneer may be used for site walls in front and side yards that are visible from public areas. Materials shall complement the building architecture.	Complies	The proposed design complies with this guideline.
Wall heights shall be appropriate to context and shall not exceed 6 feet in height per code.	Complies	The proposed design complies with this guideline.
Tiered walls shall be integrated landscape design.	Complies	The proposed design complies with this guideline.
Tops of walls may either slope or step with the topography as required. Walls may slope at 1:8 maximum or use vertical offsets of 12-inch maximum.	Complies	The proposed design complies with this guideline.
Use of vines, trailing evergreen groundcovers and shrub massings are encouraged to soften walls.	Complies	The proposed design complies with this guideline.
Retaining walls in side and rear yards. Walls not closely associated with the architecture and not visible from public areas may use the Approved Standard Wall System described in the Appendices.	Not applicable	Not applicable to this parcel.
Retaining walls in side and rear yards. Walls not closely associated with the architecture and not visible from public areas may use the Approved Standard Wall System described in the Appendices.	Not applicable	Not applicable to this parcel.
Retaining walls in rear yards shall be located a minimum of four feet from the property line to allow room for fencing.	Not applicable	Not applicable to this parcel.
Retaining walls and steps at front walkways are allowed to resolve site grading.	Complies	The proposed design complies with this guideline.

**DESIGN REVIEW CONFORMANCE MATRIX - PARCEL 10**

Design Guideline	Compliance Analysis	Discussion
<p>The following retaining wall materials are allowed: brick; painted brick; natural stone veneer; approved concrete block wall system in rear and side yards (refer to Appendices); gabions; and pressure-treated wood.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>
<p>The following retaining wall materials are <b>not</b> allowed: railroad ties; metal cribs; and concrete pylons.</p>	<p>Complies</p>	<p>The proposed design complies with this guideline.</p>



# OAK KNOLL

---

FINAL  
DEVELOPMENT  
PLAN  
PARCEL 10

02.24.20

Revision 2: 01.04.22



# CLIENT

## SunCal

2392 Morse Avenue  
Irvine, CA 92614

# CONSULTANTS

## Danielian Associates

ARCHITECT  
60 Corporate Park  
Irvine, CA 92606

## PGAdesign

LANDSCAPE  
ARCHITECT  
444 17th Street  
Oakland, CA 94612

## BKF Engineers

CIVIL ENGINEER  
300 Frank Ogawa Plaza  
Oakland, CA 94612

# CONTENTS

## INTRODUCTION

LOCATION & VICINITY MAP.....	1
AERIAL CONTEXT .....	2
CONTEXT PHOTOS .....	3
PHASE 1 ZONING .....	4
PHASING & PHASE 1 RESIDENTIAL .....	5
ASSESSOR'S PARCEL MAP .....	6
OVERALL PROPERTY BOUNDARY & TOPOGRAPHY.....	7

## THE PLAN


PHASE 1 SITE PLAN .....	9
PARCEL SITE PLAN.....	10
FIRST FLOOR SITE PLAN .....	11
SECOND FLOOR SITE PLAN .....	12
THIRD FLOOR SITE PLAN .....	13
ROOF SITE PLAN.....	14
OPEN SPACE PLAN.....	15
PARCEL BOUNDARY.....	16
UTILITY PLAN .....	17
GRADING & DRAINAGE PLAN .....	18
CROSS SECTIONS A-E.....	19
LANDSCAPE ILLUSTRATIVE.....	20
LANDSCAPE CONCEPT.....	21
SECTIONS.....	22
PLANT LIST.....	23
PLANT LIST & NOTES.....	24
PLANT IMAGES.....	25
LANDSCAPE MATERIALS .....	28
LANDSCAPE LIGHTING.....	29
TREE SURVEY.....	30

## ARCHITECTURE

COURT HOME RENDERING .....	32
COURT HOME ARCHITECTURAL STYLES .....	34
COURT HOME - PLAN 1 FIRST & SECOND FLOOR PLANS.....	35
COURT HOME - PLAN 1 THIRD FLOOR PLAN OPTIONS.....	36
COURT HOME - PLAN 1 ROOF PLANS.....	37
COURT HOME - PLAN 2 FIRST & SECOND FLOOR PLANS.....	38
COURT HOME - PLAN 2 THIRD FLOOR PLAN OPTIONS.....	39
COURT HOME - PLAN 2 ROOF PLANS.....	40
COURT HOME - PLAN 3 FIRST & SECOND FLOOR PLANS.....	41
COURT HOME - PLAN 3 THIRD FLOOR PLAN OPTIONS.....	42
COURT HOME - PLAN 3 ROOF PLANS.....	43
BUILDING ELEVATIONS (BUILDINGS 1-23) .....	44
CREEKSIDE LOOP STREETSCENE ELEVATION (EASTERN PARCEL BOUNDARY).....	67
SOUTHERN PROPERTY BOUNDARY BUILDING ELEVATIONS.....	68
WESTERN PROPERTY BOUNDARY BUILDING ELEVATIONS .....	69
NORTHERN PARCEL BOUNDARY BUILDING ELEVATIONS .....	70
PARCELS 10 & 12 SITE SECTION .....	71
MATERIALS AND COLORS BOARDS .....	72

An aerial photograph of a city and its surrounding landscape. The city is densely packed with buildings and roads, extending towards a large body of water in the distance. The foreground shows a mix of green fields, forests, and some industrial or commercial structures. A semi-transparent blue box is overlaid on the center of the image, containing the word "INTRODUCTION" in a blue, serif font.

# INTRODUCTION



LOCATION



VICINITY


# OAK KNOLL

LOCATION & VICINITY MAP  
FINAL DEVELOPMENT PLAN - PARCEL 10





PHASE 1 CONTEXT



PARCEL VIEWS KEY MAP



1. LOOKING NORTH



2. LOOKING SOUTH





3. LOOKING EAST



4. LOOKING WEST

OAK KNOLL  
CONTEXT PHOTOS  
FINAL DEVELOPMENT PLAN - PARCEL 10







# OAK KNOLL

## PHASING & PHASE 1 RESIDENTIAL

### FINAL DEVELOPMENT PLAN - PARCEL 10








**LEGEND**

- FOUND BRASS DISK MONUMENT AS NOTED
- ▲ FOUND STANDARD CITY OF OAKLAND MONUMENT
- R4 RECORD DATA PER RS 1444, 21 M 69
- R7 RECORD DATA PER "FAIRWAY ESTATES IN OAK KNOLL", 18 M 59-61
- R11 DATA PER NON-RECORDED EAST BAY MUNICIPAL UTILITY DISTRICT MAP NO. 3670-G, REVISION NO. DATED '16 OCT '72"



# OAK KNOLL


## OVERALL PROPERTY BOUNDARY & TOPOGRAPHY

### FINAL DEVELOPMENT PLAN - PARCEL 10





# THE PLAN




FOR ILLUSTRATIVE PURPOSES ONLY

# OAK KNOLL

## PHASE 1 SITE PLAN

FINAL DEVELOPMENT PLAN - PARCEL 10



## PARCEL 10

ZONE: OK-2 MEDIUM-LOW

UNIT TYPE: COURT HOMES


PLAN SIZE:  
Ranging from 2,350 SF to 2,990 SF with third-story option

### DEVELOPMENT STANDARDS PER OK-2 ZONING CODE:

Setbacks:  
Front: 8'; 3' for porches and structures under 30"  
Garage: 15' to garage when accessed from a front-facing public road (requesting an Exception through the Design Review process for 5' when accessed from a private drive aisle.)  
Interior Side: 3' min. per side or a total of 5'  
Street Side: 5'  
Rear: at least 50% 12' and remainder no less than 5'  
Maximum Height (primary wall): 35' & 3 stories

### LOT COVERAGE: (55% MAX. ALLOWED)



Plan 1: 46%  
Plan 2: 50%  
Plan 3: 42%



**10**  
**GARDEN COURTS**  
**1.9 ACRES**  
**12.1 DU/AC**  
**23 UNITS**

### LEGEND

- # BUILDING NUMBERS
- PROPERTY BOUNDARY
- MISSION STYLE
- CRAFTSMAN STYLE
- FARMHOUSE STYLE



# OAK KNOLL

## PARCEL SITE PLAN

### FINAL DEVELOPMENT PLAN - PARCEL 10

Notes:  
Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
For details of the floorplans, please see the floorplans in the Architecture section.  
For landscaping and fence details refer to landscape plans of this document.

# 10

## GARDEN COURTS

1.9 ACRES  
12.1 DU/AC  
23 UNITS



**LEGEND**

--- Property Boundary

0 30 60  
1" = 60'

Notes:  
Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
For details of the floorplans, please see the floorplans in the Architecture section.  
For landscaping and fence details refer to landscape plans of this document.

# OAK KNOLL

## FIRST FLOOR SITE PLAN

### FINAL DEVELOPMENT PLAN - PARCEL 10




# 10

## GARDEN COURTS

1.9 ACRES  
12.1 DU/AC  
23 UNITS



**LEGEND**  
 - - - - Property Boundary



# OAK KNOLL

## SECOND FLOOR SITE PLAN


### FINAL DEVELOPMENT PLAN - PARCEL 10

Notes:  
 Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
 For details of the floorplans, please see the floorplans in the Architecture section.  
 For landscaping and fence details refer to landscape plans of this document.

**10**  
**GARDEN COURTS**  
 1.9 ACRES  
 12.1 DU/AC  
 23 UNITS



**LEGEND**  
 - - - - Property Boundary



Notes:  
 Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
 For details of the floorplans, please see the floorplans in the Architecture section.  
 For landscaping and fence details refer to landscape plans of this document.

**OAK KNOLL**  
 THIRD FLOOR SITE PLAN  
 FINAL DEVELOPMENT PLAN - PARCEL 10






# 10

## GARDEN COURTS

1.9 ACRES  
12.1 DU/AC  
23 UNITS



**LEGEND**  
 - - - - Property Boundary



# OAK KNOLL


## ROOF SITE PLAN

FINAL DEVELOPMENT PLAN - PARCEL 10

Notes:  
 Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
 For details of the floorplans, please see the floorplans in the Architecture section.  
 For landscaping and fence details refer to landscape plans of this document.

**LEGEND**

- # BUILDING NUMBERS
- COMMON OPEN SPACE
- PRIVATE YARDS
- PRIVATE PATIOS
- \* LOCATION OF FRONT DOORS




Notes:  
 Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.  
 For details of the floorplans, please see the floorplans in the Architecture section.  
 For landscaping and fence details refer to landscape plans of this document.

# OAK KNOLL


## OPEN SPACE PLAN

### FINAL DEVELOPMENT PLAN - PARCEL 10





**NOTES:**  
DATE OF AERIAL TOPOGRAPHIC SURVEY  
09-24-13 BY PHOTO SCIENCE, INC.



# OAK KNOLL


## PARCEL BOUNDARY

FINAL DEVELOPMENT PLAN - PARCEL 10



LID STORMWATER TREATMENT FOR PARCEL 10 PERMITTED UNDER PX1700067.

**LEGEND:**

- SDMH ● STORM DRAIN MANHOLE
- OFD ■ OVERFLOW DRAIN BOX
- BB/DI ■ BUBBLER BOX/ DRAIN INLET
- ∞ ∞ STORM/SEWER CLEANOUT
- SD — TREATED STORM PIPE
- SD— UNTREATED STORM PIPE
- SSMH ● SANITARY SEWER MANHOLE
- SS— SANITARY SEWER PIPE
- TRANSFORMER



OFFSITE IMPROVEMENTS PER PX PERMIT 1700067 & GR1700151




# OAK KNOLL

## UTILITY PLAN

FINAL DEVELOPMENT PLAN - PARCEL 10



LID STORMWATER TREATMENT FOR PARCEL 10 PERMITTED UNDER PX1700067.




**KEY NOTE:**

- ① CONCRETE ROLLED CURB
- ② PUBLIC ACCESS EASEMENT, EMERGENCY VEHICLE ACCESS EASEMENT, PRIVATE ACCESS EASEMENT, PUBLIC UTILITY EASEMENT


**LEGEND:**

- PRIVATE ROAD
- OVERLAND RELEASE
- SEE KEY NOTE 2



OFFSITE IMPROVEMENTS PER PX PERMIT 1700067 & GR1700151


CROSS SECTIONS A-E IDENTIFIED HERE ARE SHOWN ON THE FOLLOWING PAGE




# OAK KNOLL

## GRADING & DRAINAGE PLAN


### FINAL DEVELOPMENT PLAN - PARCEL 10




A  
C2.0 N.T.S.




D  
C2.0 N.T.S.



C  
C2.0 N.T.S.



B  
C2.0 N.T.S.






E  
C2.0 N.T.S.

CROSS SECTION LOCATIONS FOR A-E ARE SHOWN ON THE PRECEDING PAGE


# OAK KNOLL

## CROSS SECTIONS A-E

FINAL DEVELOPMENT PLAN - PARCEL 10



Note:  
Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.



**PLANTING DESIGN INTENT & NOTES**

1. ALL LANDSCAPE AREAS ARE TO BE MAINTAINED BY HOME OWNERS' ASSOCIATION. PRIVATE PATIOS AND PRIVATE YARDS WILL BE MAINTAINED BY INDIVIDUAL HOME OWNERS.
2. PLANT LISTS ARE SUGGESTED PALETTE. PLANTS MAY BE SUBSTITUTED AT OWNER'S DISCRETION SO LONG AS THEY ARE CLIMATE ADAPTED, AND MEET WATER REQUIREMENTS.
3. PLANT ALL TREES A MINIMUM OF 5 FEET AWAY FROM ANY UNDERGROUND UTILITIES, A MINIMUM OF 15 FEET FROM A LIGHT POLE, AND A MINIMUM OF 30 FEET FROM THE FACE OF A TRAFFIC SIGNAL, OR AS OTHERWISE SPECIFIED BY THE CITY.
4. PROVIDE ROOT BARRIER FOR ALL TREES LOCATED WITHIN 7 FEET OF PAVED EDGES OR STRUCTURE. ROOT BARRIER IS 18 INCH DEEP BY APPROXIMATELY 6 FT LONG PANEL BARRIER, DEEP ROOT UB18-2, AVAILABLE FROM VILLA LANDSCAPE PRODUCTS, INC. (714) 630-3181; ROOT SOLUTIONS (800)554-0914 OR APPROVED EQUIVALENT. INSTALL 12' LENGTH ALONG EDGE OF PAVEMENT CENTERED ON EACH TREE.
5. ALL SHRUBS, GROUNDCOVERS, TREES AND VINES SELECTED FOR PLANTING ARE CLIMATE ADAPTED AND DROUGHT TOLERANT.
6. NON-TURF AREAS: AT LEAST 80% OF PLANTS SELECTED ARE CLIMATE APPROPRIATE LOW WATER USE SPECIES AND REQUIRE MINIMAL WATER ONCE ESTABLISHED. UP TO 20% OF THE PLANTS MAY BE NON-DROUGHT TOLERANT VARIETY AS LONG AS THEY ARE APPROPRIATELY GROUPED TOGETHER AND IRRIGATED SEPARATELY AND EFFICIENTLY.
7. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

**IRRIGATION DESIGN INTENT & PERFORMANCE STANDARDS**


1. ALL SHRUBS AND GROUNDCOVER AREAS (NON-TURF AREAS) TO BE IRRIGATED WITH DRIP IRRIGATION. ALL TURF AREAS IRRIGATED WITH HIGH EFFICIENCY SPRINKLERS.
2. LANDSCAPING TO BE DESIGNED TO BE IRRIGATED AT NO MORE THAN 55% OF THE REFERENCE EVAPOTRANSPIRATION FOR THE IRRIGATED AREA.
3. NO ORNAMENTAL TURF HAS BEEN SPECIFIED. ALL TURF IS FOR RECREATIONAL USE AND WILL NOT COVER MORE THAN 25% OF TOTAL IRRIGATED AREA.
4. TURF IS NOT ALLOWED IN AREAS LESS THAN 10' WIDE.
5. AUTOMATIC, SELF-ADJUSTING IRRIGATION CONTROLLERS ARE TO BE SPECIFIED ON ALL IRRIGATION SYSTEMS AND WILL AUTOMATICALLY ACTIVATE AND DEACTIVATE THE IRRIGATION SYSTEM BASED ON CHANGES IN THE WEATHER. ALL AUTOMATIC IRRIGATION SYSTEMS ARE EQUIPPED WITH RAIN SENSORS.
6. OVERHEAD SPRINKLER IRRIGATION FOR TURF AREAS ONLY, NO SPRINKLERS OR SPRAY HEADS IN AREAS LESS THAN 10' WIDE. LANDSCAPE DESIGN BEST PRACTICES WILL INCLUDE DISTRIBUTION UNIFORMITY, HEAD TO HEAD SPACING AND SETBACKS FROM WALKWAYS AND PAVEMENT.
7. HOMEOWNER AND DEVELOPER TO CONFORM TO EBMUD SECTION 31 WATER EFFICIENCY REQUIREMENTS FOR LANDSCAPE. PLANS PROVIDED INCLUDE SUGGESTED PLANT PALETTE, AND IRRIGATION DESIGN/BUILD SPECIFICATION TO CONFORM TO SECTION 31. HOMEOWNER TO REFER TO EBMUD BOOK "PLANTS AND LANDSCAPES FOR SUMMER-DRY CLIMATES OF THE SAN FRANCISCO BAY REGION" FOR FURTHER INFORMATION AND PLANT SELECTION. WWW.STOPWASTE.ORG WEB SITE PROVIDES ADDITIONAL INFORMATION REGARDING BAY FRIENDLY PLANTS AND PRACTICES FOR LANDSCAPING.
8. VALVES AND CIRCUITS TO BE SEPARATED (INDIVIDUAL HYDROZONES) BASED ON PLANT MATERIAL AND WATER USE.
9. STATIC PRESSURE AT POINT OF CONNECTION TO BE 60 PSI OR HIGHER. IRRIGATION DEMAND NOT TO EXCEED 20 GPM AT 60 PSI STATIC PRESSURE.
10. PROVIDE AUTOMATIC IRRIGATION SYSTEM THAT PROVIDES 100% UNIFORM COVERAGE AND MEETS CURRENT WATER EFFICIENCY STANDARDS FOR LANDSCAPE AREAS.
11. IRRIGATION BACKFLOW PREVENTION DEVICE TO BE LOCATED CLOSE TO STRUCTURE AWAY FROM EDGE OF ROAD OR PAVEMENT ON A CONCRETE PAD. A POLAR BLANKET AND STEEL CAGING TO BE PROVIDED FOR EACH BACKFLOW PREVENTER.
12. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

**HARDSCAPE LEGEND**

**PLANTING LEGEND**

- ENTRY DRIVEWAY, SEE CIVIL PLAN
- PRIVATE DRIVEWAY
- PEDESTRIAN PAVING, SEE LANDSCAPE MATERIALS
- PROPERTY LINE
- 42" TALL FENCE, STEEL PICKET
- 6' TALL FENCE, WOOD
- 6' TALL COMMUNITY FENCE, CONCRETE PANEL
- 6' TALL FENCE ALONG BACKYARD, STEEL PICKET
- BENCH

- LARGE CANOPY TREE, SEE PLANT LIST FOR SPECIES
- ORNAMENTAL TREE, SEE PLANT LIST FOR SPECIES
- PRIVACY SCREENING PLANTING  
HOA MAINTAINED AREA WITH HIGH SHRUBS, LOW SHRUBS, GROUNDCOVER & GRASSES
- ORNAMENTAL PLANTING  
HOA MAINTAINED AREA WITH LOW SHRUBS, GROUNDCOVER & GRASSES
- NO MOW TURF  
HOA MAINTAINED AREA, SEE PLANT LIST FOR SPECIES, HYDROSEED ON SLOPES GREATER THAN 3:1
- PRIVATE OPEN SPACE  
UNIRRIGATED AND UNIMPROVED, HYDROSEED FOR EROSION CONTROL, FUTURE IMPROVEMENTS BY HOME OWNERS




Note:  
Refer to engineer's drawings for details regarding retaining walls, precise location of boundaries, grading and slopes.

**OAK KNOLL**  
LANDSCAPE CONCEPT  
FINAL DEVELOPMENT PLAN - PARCEL 10
















1



2



3

TREE LIST				
SYMBOL	BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	WATER USE
TREE				
	AESCULUS CALIFORNICA	CALIFORNIA BUCKEYE	24" BOX	VERY LOW
	ALBIZIA JULIBRISSIN	SILK TREE	24" BOX	LOW
	ARBUTUS UNEDO MULTI STEM	COMPACT STRAWBERRY TREE	24" BOX	LOW
	CEANOETHUS 'RAY HARTMAN'	RAY HARTMAN WILD LILAC	15 GAL	LOW
	JACARANDA MIMOSIFOLIA	JACARANDA	24" BOX	MODERATE
	LAGERSTROEMIA INDICA	CRAPE MYRTLE	24" BOX	LOW
	PLATANUS X ACERIFOLIA 'COLUMBIA'	LONDON PLANE TREE	24" BOX	MODERATE
	QUERCUS AGRIFOLIA	COAST LIVE OAK	24" BOX	VERY LOW

SHRUBS, GROUNDCOVERS & GRASSES				
Type	COMMON NAME	CONTAINER SIZE	SPACING	WATER USE
GRASS				
CAREX DIVULSA	BERKELEY SEDGE	1 GAL	2'-6"	LOW
FESTUCA 'SISKIYOU BLUE'	SISKIYOU BLUE FESCUE	1 GAL	18"	MODERATE
FESTUCA CALIFORNICA	CALIFORNIA FESCUE	1 GAL	2'-6"	LOW
FESTUCA RUBRA 'PT. MOLATE'	MOLATE FESCUE	1 GAL	1'-6"	LOW
JUNCUS PATENS 'ELK BLUE'	ELK BLUE CALIFORNIA GRAY RUSH	1 GAL	2'-0"	LOW
MUHLENBERGIA RIGENS	DEERGRASS	1 GAL	3'-0"	LOW
SESLERIA AUTUMNALIS	AUTUMN MOOR GRASS	1 GAL	1'-0"	MODERATE
GROUNDCOVER				
ACHILLEA MILLEFOLIUM	YARROW	1 GAL	1'-6"	LOW
ARCTOSTAPHYLOS 'PACIFIC MIST'	PACIFIC MIST MANZANITA	15 GAL	8'-0"	LOW
ARCTOTIS STOECHADIFOLIA	AFRICAN DAISY	1 GAL	1'-6"	LOW
BERBERIS REPENS	CREeping BARBERRY	5 GAL	1'-6"	LOW
CISTUS CORBARIENSIS	ROCKROSE	5 GAL	6'-0"	LOW
ERIGERON GLAUCUS	SEASIDE DAISY	5 GAL	2'-0"	LOW
MYOPORUM PARVIFOLIUM 'PUTAH CREEK'	CREeping MYOPORUM	1 GAL	1'-0"	LOW
ROSMARINUS 'HUNTINGTON CARPET'	HUNTINGTON CARPET ROSEMARY	5 GAL	8'-0"	LOW
SALVIA SPATHACEA	HUMMINGBIRD SAGE	1 GAL	4'-0"	LOW
SENECIO MANDRAUSCAE	BLUE CHALKSTICKS	5 GAL	2'-0"	LOW
STACHYS BYZANTINA 'SILVER CARPET'	LAMB'S EARS	1 GAL	3'-0"	LOW
ZAUSCHNERIA CALIFORNICA 'ROUTE 66'	ROUTE 66 CALIFORNIA FUCHSIA	1 GAL	3'-0"	LOW
HIGH SHRUB				
ARCTOSTAPHYLOS DENSIFLORA 'HOWARD MCMINN'	HOWARD MCMINN MANZANITA	24" BOX	5'-0"	LOW
ARCTOSTAPHYLOS DENSIFLORA 'LUTSKO'S PINK'	MANZANITA	1 GAL	6'-0"	LOW
CARPENTERIA CALIFORNICA 'ELIZABETH'	BUSH ANEMONE	1 GAL	4'-0"	MODERATE
CEANOETHUS 'CONCHA'	CALIFORNIA LILAC	1 GAL	9'-0"	LOW
CEANOETHUS 'FROSTY BLUE'	CALIFORNIA LILAC	15 GAL	10'-0"	LOW
CEANOETHUS GLORIOSUS VAR. EXALTATUS 'EMILY BROWN'	NAVARRO CEANOETHUS	1 GAL	8'-0"	LOW
HETEROMELES ARBUTIFOLIA	TOYON	15 GAL	6'-0"	LOW
OLEA EUROPAEA 'MONTRA'	LITTLE OLIVE	15 GAL	4'-0"	VERY LOW
PHORMIUM 'BRONZE BABY'	NEW ZEALAND FLAX	5 GAL	3'-0"	LOW
PHORMIUM 'DARK DELIGHT'	NEW ZEALAND FLAX	5 GAL	4'-0"	LOW
RIBES SANGUINEUM 'CLAREMONT'	FLOWERING CURRANT	5 GAL	6'-0"	LOW
RIBES VIBURNIFOLIUM	CATALINA PERFUME	1 GAL	5'-0"	LOW
ROSA CALIFORNICA	CALIFORNIA WILD ROSE	5 GAL	3'-0"	LOW
SALVIA LEUCANTHA	MEXICAN BUSH SAGE	5 GAL	5'-0"	LOW
SENECIO LEUCOSTACHYS	WHITE GROUNDSEL	5 GAL	4'-0"	LOW
WESTRINGIA FRUTICOSA 'MORNING LIGHT'	COAST ROSEMARY	5 GAL	3'-0"	LOW
LOW SHRUB				
ANIGOZANTHOS 'BUSH LANTERN'	DWARF YELLOW KANGAROO PAW	1 GAL	2'-0"	LOW
ANIGOZANTHOS 'HARMONY'	KANGAROO PAW	5 GAL	2'-6"	LOW
ASCLEPIAS FASCICULARIS	NARROWLEAF MILKWEED	1 GAL	3'-0"	LOW
ASCLEPIAS SPECIOSA 'DAVIS'	SHOWY MILKWEED	1 GAL	3'-0"	LOW
ERYSIMUM LINIFOLIUM 'BOWLES' MAUVE'	WALLFLOWER	1 GAL	1'-6"	LOW
GALVEZIA SPECIOSA 'FIRECRACKER'	FIRECRACKER ISLAND BUSH SNAPDRAGON	1 GAL	4'-0"	LOW
IRIS DOUGLASIANA 'CANYON SNOW'	PACIFIC COAST HYBRID IRIS	1 GAL	1'-6"	LOW
LAVANDULA ANGUSTIFOLIA 'HIDCOTE BLUE'	HIDCOTE BLUE ENGLISH LAVENDER	5 GAL	3'-0"	LOW
PHORMIUM 'CREAM DELIGHT'	NEW ZEALAND FLAX	5 GAL	2'-0"	LOW
PHORMIUM 'JACK SPRATT'	NEW ZEALAND FLAX	5 GAL	1'-0"	LOW
POLYSTICHUM MUNITUM	WESTERN SWORD FERN	1 GAL	3'-0"	MODERATE
RHAMNUS CALIFORNICA 'MOUND SAN BRUNO'	COFFEEBERRY	24" BOX	6'-0"	LOW
ROSMARINUS OFFICINALIS 'COLLINGWOOD INGRAM'	DWARF ROSEMARY	1 GAL	4'-0"	LOW
SALVIA MICROPHYLLA 'BERZERKELEY'	BERZERKELEY SALVIA	1 GAL	2'-0"	LOW
TEUCRIUM CHAMAEDRYS	WALL GERMANDER	1 GAL	2'-0"	LOW
TREE				
AESCULUS CALIFORNICA	CALIFORNIA BUCKEYE	24" BOX	25'-0"	VERY LOW
ARBUTUS UNEDO MULTI STEM	COMPACT STRAWBERRY TREE	24" BOX	8'-0"	LOW
CEANOETHUS 'RAY HARTMAN'	RAY HARTMAN WILD LILAC	15 GAL	10'-0"	LOW
JACARANDA MIMOSIFOLIA	JACARANDA	24" BOX	30'-0"	MODERATE
LAGERSTROEMIA INDICA	CRAPE MYRTLE	24" BOX	20'-0"	LOW
PLATANUS X ACERIFOLIA 'COLUMBIA'	LONDON PLANE TREE	24" BOX	30'-0"	MODERATE
VINE				
SOLANUM JASMINOIDES	POTATO VINE	1 GAL	15'-0"	MODERATE
VITIS 'ROGER'S RED'	ROGER'S CALIFORNIA GRAPE	5 GAL	15'-0"	LOW

# OAK KNOLL

## PLANT LIST

FINAL DEVELOPMENT PLAN - PARCEL 10



**IRRIGATION DESIGN INTENT & PERFORMANCE STANDARDS**

1. ALL SHRUBS, GROUNDCOVERS, TREES AND VINES SELECTED FOR PLANTING ARE CLIMATE ADAPTED AND DROUGHT TOLERANT. ALL SHRUBS AND GROUNDCOVER AREAS (NON-TURF AREAS) TO BE IRRIGATED WITH DRIP IRRIGATION. ALL TURF AREAS IRRIGATED WITH HIGH EFFICIENCY SPRINKLERS.
2. LANDSCAPING TO BE DESIGNED TO BE IRRIGATED AT NO MORE THAN 70% OF THE REFERENCE EVAPOTRANSPIRATION FOR THE IRRIGATED AREA.
3. NO ORNAMENTAL TURF HAS BEEN SPECIFIED. ALL TURF IS FOR RECREATIONAL USE AND WILL NOT COVER MORE THAN 25% OF TOTAL IRRIGATED AREA.
4. TURF IS NOT ALLOWED IN AREAS LESS THAN 10' WIDE.
5. AUTOMATIC, SELF-ADJUSTING IRRIGATION CONTROLLERS ARE TO BE SPECIFIED ON ALL IRRIGATION SYSTEMS AND WILL AUTOMATICALLY ACTIVATE AND DEACTIVATE THE IRRIGATION SYSTEM BASED ON CHANGES IN THE WEATHER. ALL AUTOMATIC IRRIGATION SYSTEMS ARE EQUIPPED WITH RAIN SENSORS.
6. OVERHEAD SPRINKLER IRRIGATION FOR TURF AREAS ONLY, NO SPRINKLERS OR SPRAY HEADS IN AREAS LESS THAN 10' WIDE. LANDSCAPE DESIGN BEST PRACTICES WILL INCLUDE DISTRIBUTION UNIFORMITY, HEAD TO HEAD SPACING AND SETBACKS FROM WALKWAYS AND PAVEMENT.
7. HOMEOWNER AND DEVELOPER TO CONFORM TO EBMUD SECTION 31 WATER EFFICIENCY REQUIREMENTS FOR LANDSCAPE. PLANS PROVIDED INCLUDE SUGGESTED PLANT PALETTE, AND IRRIGATION DESIGN/BUILD SPECIFICATION TO CONFORM TO SECTION 31. HOMEOWNER TO REFER TO EBMUD BOOK "PLANTS AND LANDSCAPES FOR SUMMER-DRY CLIMATES OF THE SAN FRANCISCO BAY REGION" FOR FURTHER INFORMATION AND PLANT SELECTION. WWW.STOPWASTE.ORG WEB SITE PROVIDES ADDITIONAL INFORMATION REGARDING BAY FRIENDLY PLANTS AND PRACTICES FOR LANDSCAPING.
8. VALVES AND CIRCUITS TO BE SEPARATED (INDIVIDUAL HYDROZONES) BASED ON PLANT MATERIAL AND WATER USE.
9. STATIC PRESSURE AT POINT OF CONNECTION TO BE 60 PSI OR HIGHER. IRRIGATION DEMAND NOT TO EXCEED 20 GPM AT 60 PSI STATIC PRESSURE.
10. PROVIDE AUTOMATIC IRRIGATION SYSTEM THAT PROVIDES 100% UNIFORM COVERAGE AND MEETS CURRENT WATER EFFICIENCY STANDARDS FOR LANDSCAPE AREAS.
11. IRRIGATION BACKFLOW PREVENTION DEVICE TO BE LOCATED CLOSE TO STRUCTURE AWAY FROM EDGE OF ROAD OR PAVEMENT ON A CONCRETE PAD. A POLAR BLANKET AND STEEL CAGING TO BE PROVIDED FOR EACH BACKFLOW PREVENTER.
12. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

**PLANTING DESIGN INTENT & NOTES**

1. ALL LANDSCAPE AREAS ARE TO BE MAINTAINED BY HOME OWNERS' ASSOCIATION. PRIVATE PATIOS AND PRIVATE YARDS WILL BE MAINTAINED BY INDIVIDUAL HOME OWNERS.
2. PLANT LISTS ARE SUGGESTED PALETTE, PLANTS MAY BE SUBSTITUTED AT OWNER'S DISCRETION SO LONG AS THEY ARE CLIMATE ADAPTED, AND MEET WATER REQUIREMENTS.
3. PLANT ALL TREES A MINIMUM OF 5 FEET AWAY FROM ANY UNDERGROUND UTILITIES, A MINIMUM OF 15 FEET FROM A LIGHT POLE, AND A MINIMUM OF 30 FEET FROM THE FACE OF A TRAFFIC SIGNAL, OR AS OTHERWISE SPECIFIED BY THE CITY.
4. PROVIDE ROOT BARRIER FOR ALL TREES LOCATED WITHIN 7 FEET OF PAVED EDGES OR STRUCTURE. ROOT BARRIER IS 24 INCH DEEP BY APPROXIMATELY 6 FT LONG PANEL BARRIER, DEEP ROOT SM 24, AVAILABLE FROM VILLA LANDSCAPE PRODUCTS, INC. (714) 630-3181; ROOT SOLUTIONS (800)554-0914 OR APPROVED EQUIVALENT. INSTALL 12' LENGTH ALONG EDGE OF PAVEMENT CENTERED ON EACH TREE.
5. ALL SHRUBS, GROUNDCOVERS, TREES AND VINES SELECTED FOR PLANTING ARE CLIMATE ADAPTED AND DROUGHT TOLERANT. ALL SHRUBS AND GROUNDCOVER AREAS (NON-TURF AREAS) TO BE IRRIGATED WITH DRIP IRRIGATION. ALL TURF AREAS IRRIGATED WITH HIGH-EFFICIENCY SPRAY.
6. NON-TURF AREAS: AT LEAST 80% OF PLANTS SELECTED ARE CLIMATE APPROPRIATE LOW WATER USE SPECIES AND REQUIRE MINIMAL WATER ONCE ESTABLISHED. UP TO 20% OF THE PLANTS MAY BE NON-DROUGHT TOLERANT VARIETY AS LONG AS THEY ARE APPROPRIATELY GROUPED TOGETHER AND IRRIGATED SEPARATELY AND EFFICIENTLY.
7. WATER USE ACCORDING TO "WUCOLS: WATER USE CLASSIFICATION OF LANDSCAPE SPECIES"

**STORMWATER TREATMENT PLANTING**

BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	SPACING	WATER USE
GRASS				
CAREX DIVULSA	BERKELEY SEDGE	1 GAL	2'-6"	LOW
FESTUCA CALIFORNICA	CALIFORNIA FESCUE	1 GAL	2'-6"	LOW
JUNCUS PATENS 'ELK BLUE'	ELK BLUE CALIFORNIA GRAY RUSH	1 GAL	2'-0"	LOW
MUHLENBERGIA RIGENS	DEERGRASS	1 GAL	3'-0"	LOW
CHONDROPETALUM TECTORUM	CAPE RUSH	5 GAL	4'-0"	LOW
GROUNDCOVER				
ERIGERON GLAUCUS	SEASIDE DAISY	5 GAL	2'-0"	LOW
ACHILLEA MILLEFOLIUM	YARROW	1 GAL	1'-6"	LOW
BERBERIS REPENS	CREEPING BARBERRY	5 GAL	1'-8"	LOW
SALVIA SPATHACEA	HUMMINGBIRD SAGE	1 GAL	4'-0"	LOW
HIGH SHRUB				
RIBES SANGUINEUM 'CLAREMONT'	FLOWERING CURRANT	5 GAL	6'-0"	LOW
ROSA CALIFORNICA	CALIFORNIA WILD ROSE	5 GAL	3'-0"	LOW
LOW SHRUB				
ASCLEPIAS FASCICULARIS	NARROWLEAF MILKWEED	1 GAL	3'-0"	LOW
ASCLEPIAS SPECIOSA 'DAVIS'	SHOWY MILKWEED	1 GAL	3'-0"	LOW
GRINDEUA HIRSUTULA	HAIRY GUMPLANT	1 GAL	3'-0"	LOW
IRIS DOUGLASSIANA 'CANYON SNOW'	PACIFIC COAST HYBRID IRIS	1 GAL	1'-6"	LOW

**NO-MOW TURF PLANTING**

BOTANICAL NAME	COMMON NAME	CONTAINER SIZE	WATER USE
GRASS			
FESTUCA RUBRA	MOLATE FESCUE	PART OF SOD MIX	LOW
STIPA PULCHRA	PURPLE NEEDLEGRASS	PART OF SOD MIX	LOW
STIPA CERNUA	NODDING NEEDLEGRASS	PART OF SOD MIX	LOW
KOELERIA MACRANTHA	PRARIE JUNEGRASS	PART OF SOD MIX	LOW

trees



*Albizia julibrissin* | Silk Tree



*Ceanothus 'Ray Hartman'* | Ray Hartman Wild Lilac



*Platanus 'Columbia'* | London Plane Tree



*Aesculus californica* | California Buckeye



*Jacaranda mimosifolia* | Jacaranda



*Quercus agrifolia* | Coast Live Oak



*Arbutus undeeo* | Strawberry Tree



*Lagerstoemia indica* | Crape Myrtle

# OAK KNOLL

PLANT IMAGES

FINAL DEVELOPMENT PLAN - PARCEL 10

grasses



*Carex divulsa* | Berkeley Sedge



*Juncus 'Eik Blue'* | Eik Blue Juncus



*Festuca 'Siskiyou Blue'* | Siskiyou Blue Fescue



*Muhlenbergia rigens* | Deer Grass



*Festuca californica* | California Fescue



*Festuca rubra 'Pt Molate'* | Molate Fescue



*Sesleria autumnalis* | Autumn Moor Grass

groundcover



*Achillea millefolium* | Yarrow



*Berberis repens* | Creeping Barberry



*Senecio mandraliscae* | Blue Chalksticks



*Arctostaphylos 'Pacific Mist'* | Pacific Mist Manzanita



*Cistus corbariensis* | Rockrose



*Salvia spathacea* | Hummingbird Sage



*Arctotis stoechadifolia* | African Daisy



*Erigeron glaucus* | Seaside Daisy



*Myoporum parvifolium* | Creeping Myoporum

shrubs



*Anigozanthos, sp.* | Kangaroo Paw



*Ceanothus, sp.* | Wild Lilac



*Olea 'Little Ollie'* | Little Ollie Olive



*Salvia leucantha* | Mexican Bush Sage



*Arctostaphylos 'Howard McMinn'* | Howard McMinn Marzanita



*Aesclepias, sp.* | Milkweed



*Lavandula angustifolia 'Hidcote Blue'* | English Lavender



*Phormium, sp.* | New Zealand Flax



*Teucrium chamaedrys* | Wall Germander




*Carpentaria californica* | Bush Anemone



*Galvezia speciosa 'Firecracker'* | Island Bush Snapdragon



*Iris douglasiana 'Island Snow'* | Pacific Coast Iris



*Ribes sanguineum* | Red Flowering Currant



*Westringia 'Morning Light'* | Morning Light Coast Rosemary



*Rosmarinus officinalis 'Collingwood Ingram'* | Dwarf Rosemary

OAK KNOLL

PLANT IMAGES

FINAL DEVELOPMENT PLAN - PARCEL 10

## fencing



STEEL PICKET FENCE - 42" OR 6' TALL, SEE PLANS



WOOD FENCE - HORIZONTAL BOARD, 6' HEIGHT, MATERIALS PER OAK KNOLL DESIGN GUIDELINES



WOOD FENCE - BOARD-ON-BATTEN, 6' HEIGHT, MATERIALS PER OAK KNOLL DESIGN GUIDELINES



COMMUNITY WALL, CONCRETE PANEL, 6' TALL

## paving



PRIVATE ACCESS DRIVE - ASPHALT DRIVEWAY WITH CONCRETE ROLLED CURB AT EDGE



PEDESTRIAN PAVING - CONCRETE WITH BROOM FINISH

## retaining wall



ANCHOR HIGHLAND STONE RETAINING WALL, SIZES 6X6X12, 6X12X12, 6X18X12, WITH HIGHLAND CAP. COLOR: MONTECITO. AS AVAILABLE FROM BELGARD. WEB SITE: WWW.BELGARD.COM, OR SIMILAR

## bench



MAGLIN MLB870-W SERIES BENCH AS AVAILABLE FROM MAGLIN. WEB SITE: WWW.MAGLIN.COM


# lighting

## UQB-20941 QBA Post Top

7144 NE Progress Ct Hillsboro, Oregon 97124  
www.ligmanlightingusa.com



Length - 20.7"  
Height - 17.3"  
Weight 39.6 lbs  
IP54  
Suitable for wet locations  
IK07  
Impact Resistant (Vandal Resistant)  
EPA - 1.33  
  
**POLE NOT INCLUDED**



### Construction

**Aluminum**  
Less than 0.1% copper content - Marine Grade 6060 extruded & LM6 Aluminum High Pressure die casting provides excellent mechanical strength, clean detailed product lines and excellent heat dissipation.

**Pre paint**  
8 step degrease and phosphate process that includes deoxidizing and etching as well as a zinc and nickel phosphate process before product painting.

**Memory Retentive -Silicon Gasket**  
Provided with special injection molded "fit for purpose" long life high temperature memory retentive silicon gaskets. Maintains the gaskets exact profile and seal over years of use and compression.

**Thermal management**  
LM6 Aluminum is used for its excellent mechanical strength and thermal dissipation properties in low and high ambient temperatures. The superior thermal heat sink design by Ligman used in conjunction with the driver, controls thermals below critical temperature range to ensure maximum luminous flux output, as well as providing long LED service life and ensuring less than 10% lumen depreciation at 50,000 hours.

**Surge Suppression**  
Standard 10kv surge suppressor provided with all fixtures.

**BUG Rating**  
B1 - U3 - G1

**Finishing**  
All Ligman products go through an extensive finishing process that includes fettling to improve paint adherence.

**Paint**  
UV Stabilized 4.9Mil thick powder coat paint and baked at 200 Deg C. This process ensures that Ligman products can withstand harsh environments. Rated for use in natatoriums.

**Hardware**  
Provided Hardware is Marine grade 316 Stainless steel.

**Anti Seize Screw Holes**  
Tapped holes are infused with a special anti seize compound designed to prevent seizure of threaded connections, due to electrolysis from heat, corrosive atmospheres and moisture.

**High Impact Acrylic Lens**  
Manufactured with Ultra High Impact, Naturally UV Stabilized Injection Molded Acrylic.

**Optics & LED**  
Precise optic design provides exceptional light control and precise distribution of light. LED CRI > 80

**Lumen - Maintenance Life**  
L80 /B10 at 50,000 hours (This means that at least 90% of the LED still achieve 80% of their original flux)

### Sealed-optic urban post top. Traditional urban realm lighting post top, with external diffuser cover and clean lines

A modern post top luminaire with excellent downward symmetrical light distribution and visual appeal. The precision optical system gives very low glare rating, while reducing light pollution. Designed for lighting entrances, footpaths and car parks.

Color temperature 2700K, 3000K, 3500K and 4000K, LED CRI >80 and life time 50,000 Hours. Low copper content die-cast aluminium housing with high corrosion resistance. Stainless steel fasteners in grade 316. Durable silicone memory retentive gasket and clear prismatic UV stabilized acrylic lens. Housing is treated with a nickel and zinc phosphate protection before powder coating, ensuring high corrosion resistance.


High performance COB LED light engine. White coating aluminium reflector on the top of luminaire. This luminaire is provided prewired with power cord to the handhole to simplify installation

### Additional Options (Consult Factory For Pricing)



Ligman Lighting USA reserves the right to change specifications without prior notice, please contact factory for latest information. Due to the continual improvements in LED technology data and components may change without notice.





EXISTING EUCALYPTUS TREES TO BE REMOVED FOR PARCEL 6 STORMWATER TREATMENT AREA. SEE 06-L2-01.

EXISTING TREES AFTER PHASE 1  
 EXTENT OF CONSTRUCTION ACTIVITY ASSOCIATED WITH THIS PHASE

**EXISTING TREES NOTES:**

HERE ARE NO EXISTING PROTECTED TREES WITHIN 10' OF THE CONSTRUCTION ACTIVITY PROPOSED FOR THESE PARCELS (6, 7, 9, 10, 11, 12, 19, 23 & 24.)

OAK KNOLL PHASE ONE INVOLVED EXTENSIVE REGRADING OF THIS SITE. AS PART OF PHASE ONE, MANY EXISTING TREES WERE RELOCATED AND REMOVED. THOSE REMOVED WERE MITIGATED IN BOTH THE CREEK RESTORATION PLANS AND THE STREET AND PARK CONSTRUCTION PLAN. NO TREE MITIGATION IS ANTICIPATED AS PART OF THE PARCEL DEVELOPMENT. TREE LOCATIONS SHOWN ON THIS PLAN ARE BASED ON EXISTING TREES TO REMAIN AND ARE PART OF THE TREE PERMIT FROM PHASE ONE.

OFFSITE STORMWATER TREATMENT FOR PARCEL SIX IS PROPOSED AT THE CORNER OF MOUNTAIN BLVD AND SEQUOYAH ROAD. SEVERAL EUCALYPTUS TREES WILL BE REMOVED AT THIS LOCATION. EUCALYPTUS ARE NOT PROTECTED TREES UNDER THE CITY OF OAKLAND'S TREE ORDINANCE.



# OAK KNOLL

## TREE SURVEY

FINAL DEVELOPMENT PLAN - PARCEL 10

An architectural rendering of a residential street scene. The scene features several multi-story houses with light-colored stucco walls and terracotta-tiled roofs. The houses have various window styles, including some with shutters and others with decorative elements. A prominent tree with a thick trunk and dense green foliage stands on the left side of the frame. In the foreground, a paved driveway or walkway leads towards the houses. A white car is parked on the left, and two people are standing near a garage. The overall atmosphere is bright and sunny, with a clear blue sky and scattered clouds. A large, semi-transparent blue box with the word 'ARCHITECTURE' in white capital letters is centered over the middle of the image.

# ARCHITECTURE



# OAK KNOLL

COURT HOME RENDERING  
FINAL DEVELOPMENT PLAN - PARCEL 10



OAK KNOLL  
COURT HOME RENDERING  
FINAL DEVELOPMENT PLAN - PARCEL 10



**PLAN 3**  
 CRAFTSMAN/BUGALOW  
 SHOWN HERE  
 ALSO WITH  
 MISSION & FARMHOUSE STYLE

**PLAN 1**  
 FARMHOUSE  
 SHOWN HERE  
 ALSO WITH  
 CRAFTSMAN & MISSION STYLE


**PLAN 2**  
 MISSION  
 SHOWN HERE  
 ALSO WITH  
 FARMHOUSE & CRAFTSMAN STYLE

Plans 1 & 3 shown here with optional third story.




**OAK KNOLL**  
 COURT HOME ARCHITECTURAL STYLES  
 FINAL DEVELOPMENT PLAN - PARCEL 10


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



FIRST FLOOR



SECOND FLOOR




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## COURT HOME - PLAN 1 FIRST & SECOND FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 10







THIRD FLOOR  
(OPTION-1)  
REC ROOM + PDR.




THIRD FLOOR  
(OPTION-2)  
BED 4 + BA 3





ROOF PLAN  
(SHOWN WITH OPTIONAL THIRD STORY)



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.


# OAK KNOLL

## COURT HOME - PLAN 1 ROOF PLANS


FINAL DEVELOPMENT PLAN - PARCEL 10








FIRST FLOOR




FIRST FLOOR  
(OPTION)

BR4 + BA3



SECOND FLOOR




# OAK KNOLL


## COURT HOME - PLAN 2 FIRST & SECOND FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 10


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



THIRD FLOOR  
(OPTION-1)



THIRD FLOOR  
(OPTION-2)




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## COURT HOME - PLAN 2 THIRD FLOOR PLAN OPTIONS


FINAL DEVELOPMENT PLAN - PARCEL 10






ROOF PLAN  
 (SHOWN WITH OPTIONAL THIRD STORY)






FIRST FLOOR



SECOND FLOOR




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## COURT HOME - PLAN 3 FIRST & SECOND FLOOR PLANS

FINAL DEVELOPMENT PLAN - PARCEL 10






**THIRD FLOOR  
(OPTION-1)**  
REC ROOM + PWDR.



**THIRD FLOOR  
(OPTION-2)**  
BED 5 + BA 4




# OAK KNOLL


## COURT HOME - PLAN 3 THIRD FLOOR PLAN OPTIONS

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



ROOF PLAN  
(SHOWN WITH OPTIONAL THIRD STORY)



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## COURT HOME - PLAN 3 ROOF PLANS

### FINAL DEVELOPMENT PLAN - PARCEL 10





RIGHT



FRONT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES




REAR



LEFT (STREET SIDE)

NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL


BUILDING 1 ELEVATIONS - PLAN 2 CRAFTSMAN (REVERSED PLAN)

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




LEFT



FRONT

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 N/A
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES




REAR



RIGHT

NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 2 ELEVATIONS - PLAN 1 MISSION (REVERSED PLAN)


### FINAL DEVELOPMENT PLAN - PARCEL 10







LEFT



FRONT

- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |

ELEVATION KEY NOTES




REAR



RIGHT



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 42.



# OAK KNOLL

BUILDING 3 ELEVATIONS - PLAN 3 FARMHOUSE  
 FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 36.




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 4 ELEVATIONS - PLAN 1 CRAFTSMAN

### FINAL DEVELOPMENT PLAN - PARCEL 10





LEFT



FRONT

- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**




REAR



RIGHT

NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 39.



# OAK KNOLL

## BUILDING 5 ELEVATIONS - PLAN 2 MISSION

### FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




RIGHT




FRONT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES




REAR



LEFT (STREET SIDE)

NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## BUILDING 6 ELEVATIONS - PLAN 2 CRAFTSMAN (REVERSED PLAN)

### FINAL DEVELOPMENT PLAN - PARCEL 10





LEFT



FRONT




REAR




RIGHT

- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL

BUILDING 7 ELEVATIONS - PLAN 1 FARMHOUSE (REVERSED PLAN)

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT



FRONT



REAR




RIGHT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 8 ELEVATIONS - PLAN 3 MISSION (REVERSED PLAN)

### FINAL DEVELOPMENT PLAN - PARCEL 10





LEFT



REAR



FRONT




RIGHT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL


## BUILDING 9 ELEVATIONS - PLAN 3 CRAFTSMAN

### FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT



FRONT




REAR




RIGHT

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 N/A
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



# OAK KNOLL

## BUILDING 10 ELEVATIONS - PLAN 1 FARMHOUSE

### FINAL DEVELOPMENT PLAN - PARCEL 10








- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 39.





# OAK KNOLL

## BUILDING 11 ELEVATIONS - PLAN 2 MISSION

### FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 39.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## BUILDING 12 ELEVATIONS - PLAN 2 MISSION (REVERSED PLAN)

### FINAL DEVELOPMENT PLAN - PARCEL 10





LEFT



FRONT




REAR




RIGHT

- ELEVATION KEY NOTES**
- 1 STUCCO
  - 2 HORIZONTAL SIDING
  - 3 BOARD & BATT SIDING
  - 4 SHINGLE SIDING
  - 5 VINYL WINDOW
  - 6 SHUTTERS AT ENHANCED ELEVATION
  - 7 WROUGHT IRON RAILING
  - 8 STANDING SEAM METAL ROOF
  - 9 FLAT CONCRETE TILE ROOF
  - 10 S-TILE ROOF
  - 11 GARAGE DOOR
  - 12 STANDING SEAM METAL CANOPY
  - 13 N/A
  - 14 WINDOW WOOD TRIM
  - 15 STONE VENEER
  - 16 EXTERIOR LIGHTING
  - 17 UTILITY LOCATION / ROOM TO BE DETERMINED
  - 18 A/C LOCATION
  - 19 PRIVACY FENCE AT END UNIT
  - 20 TILE ACCENT
  - 21 DECORATIVE WOOD RAIL



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL

BUILDING 13 ELEVATIONS - PLAN 1 FARMHOUSE (REVERSED PLAN)

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT



REAR




FRONT




RIGHT

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 N/A
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


BUILDING 14 ELEVATIONS - PLAN 3 MISSION (REVERSED PLAN)

FINAL DEVELOPMENT PLAN - PARCEL 10






LEFT




FRONT

- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |

ELEVATION KEY NOTES




REAR



RIGHT

NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 42.



# OAK KNOLL

## BUILDING 15 ELEVATIONS - PLAN 3 FARMHOUSE

### FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT



FRONT




REAR




RIGHT

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 N/A
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 16 ELEVATIONS - PLAN 1 MISSION

### FINAL DEVELOPMENT PLAN - PARCEL 10






RIGHT



FRONT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES




REAR



LEFT (STREET SIDE)

NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.





# OAK KNOLL

BUILDING 17 ELEVATIONS - PLAN 2 CRAFTSMAN

FINAL DEVELOPMENT PLAN - PARCEL 10


Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |
- ELEVATION KEY NOTES**



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 39.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.


# OAK KNOLL

## BUILDING 18 ELEVATIONS - PLAN 2 MISSION (REVERSED PLAN)


### FINAL DEVELOPMENT PLAN - PARCEL 10








LEFT



FRONT

- |    |  |
|----|--|
| 1  | STUCCO                                   |
| 2  | HORIZONTAL SIDING                        |
| 3  | BOARD & BATT SIDING                      |
| 4  | SHINGLE SIDING                           |
| 5  | VINYL WINDOW                             |
| 6  | SHUTTERS AT ENHANCED ELEVATION           |
| 7  | WROUGHT IRON RAILING                     |
| 8  | STANDING SEAM METAL ROOF                 |
| 9  | FLAT CONCRETE TILE ROOF                  |
| 10 | S-TILE ROOF                              |
| 11 | GARAGE DOOR                              |
| 12 | STANDING SEAM METAL CANOPY               |
| 13 | N/A                                      |
| 14 | WINDOW WOOD TRIM                         |
| 15 | STONE VENEER                             |
| 16 | EXTERIOR LIGHTING                        |
| 17 | UTILITY LOCATION / ROOM TO BE DETERMINED |
| 18 | A/C LOCATION                             |
| 19 | PRIVACY FENCE AT END UNIT                |
| 20 | TILE ACCENT                              |
| 21 | DECORATIVE WOOD RAIL                     |

ELEVATION KEY NOTES




REAR



RIGHT

NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL

BUILDING 19 ELEVATIONS - PLAN 1 FARMHOUSE (REVERSED PLAN)

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



LEFT



FRONT



REAR




RIGHT

- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 SHUTTERS AT ENHANCED ELEVATION
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 N/A
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY LOCATION / ROOM TO BE DETERMINED
- 18 A/C LOCATION
- 19 PRIVACY FENCE AT END UNIT
- 20 TILE ACCENT
- 21 DECORATIVE WOOD RAIL

ELEVATION KEY NOTES



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 20 ELEVATIONS - PLAN 3 CRAFTSMAN (REVERSED PLAN)

### FINAL DEVELOPMENT PLAN - PARCEL 10





LEFT



FRONT



REAR




RIGHT

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

ELEVATION KEY NOTES





NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL

BUILDING 21 ELEVATIONS - PLAN 3 MISSION  
FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



NOTES:  
 HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.  
 TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE PER THE PLANS SHOWN ON PAGE 36.



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## BUILDING 22 ELEVATIONS - PLAN 1 CRAFTSMAN

### FINAL DEVELOPMENT PLAN - PARCEL 10





RIGHT



FRONT



REAR




LEFT (STREET SIDE)

1	STUCCO
2	HORIZONTAL SIDING
3	BOARD & BATT SIDING
4	SHINGLE SIDING
5	VINYL WINDOW
6	SHUTTERS AT ENHANCED ELEVATION
7	WROUGHT IRON RAILING
8	STANDING SEAM METAL ROOF
9	FLAT CONCRETE TILE ROOF
10	S-TILE ROOF
11	GARAGE DOOR
12	STANDING SEAM METAL CANOPY
13	N/A
14	WINDOW WOOD TRIM
15	STONE VENEER
16	EXTERIOR LIGHTING
17	UTILITY LOCATION / ROOM TO BE DETERMINED
18	A/C LOCATION
19	PRIVACY FENCE AT END UNIT
20	TILE ACCENT
21	DECORATIVE WOOD RAIL

**ELEVATION KEY NOTES**



NOTE: HABITABLE BUILDING HEIGHT / TOP OF PLATE (T.O.P.) NOT TO EXCEED 30 FEET.



# OAK KNOLL

## BUILDING 23 ELEVATIONS - PLAN 2 CRAFTSMAN


### FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



NOTE:  
TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION  
AVAILABLE PER THE PLANS SHOWN ON PAGES 36, 39 & 42.

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



# OAK KNOLL

## CREEKSIDE LOOP STREETSCENE ELEVATION (EASTERN PARCEL BOUNDARY)

FINAL DEVELOPMENT PLAN - PARCEL 10





← RIFLE RANGE CREEK

PLAN 3 FARMHOUSE

PLAN 1 CRAFTSMAN

PLAN 2 CRAFTSMAN

EKSIDE LOOP



NOTE:  
TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION  
AVAILABLE PER THE PLANS SHOWN ON PAGES 36, 39 & 42.

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.



# OAK KNOLL

## SOUTHERN PROPERTY BOUNDARY BUILDING ELEVATIONS

FINAL DEVELOPMENT PLAN - PARCEL 10



← PARCEL 11

PLAN 3 MISSION

PLAN 3 CRAFTSMAN

PLAN 3 FARMHOUSE

PLAN 3 MISSION

PLAN 3 CRAFTSMAN

PLAN 3 MISSION

PLAN 3 FARMHOUSE

PLAN 1 MISSION

→ PARCEL 9

NOTE:  
TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION AVAILABLE  
PER THE PLANS SHOWN ON PAGES 36, 39 & 42.

Imagery shown is to indicate design intent. Actual  
floorplans, colors or materials may vary slightly.



# OAK KNOLL

## WESTERN PROPERTY BOUNDARY BUILDING ELEVATIONS

### FINAL DEVELOPMENT PLAN - PARCEL 10







NOTE:  
TWO STORY VERSION SHOWN HERE. THIRD STORY OPTION  
AVAILABLE PER THE PLANS SHOWN ON PAGES 36, 39 & 42.




# OAK KNOLL

## NORTHERN PARCEL BOUNDARY BUILDING ELEVATIONS

FINAL DEVELOPMENT PLAN - PARCEL 10

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.




Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL


## PARCELS 10 & 12 SITE SECTION

### FINAL DEVELOPMENT PLAN - PARCEL 10







**B** WINDOW JAMB



**A** WINDOW HEADER



**C** WINDOW SILL




**D** WINDOW WITH TRIM  
3 COAT STUCCO

N.T.S.  
DA © 2017 WDW1-VI-F04

THE FINAL WINDOW MANUFACTURER CONTRACTED BY THE BUILDER AT THE TIME OF CONSTRUCTION PERMITS MUST ADHERE TO THE FOLLOWING REQUIREMENTS BASED ON TITLE 24, LOCAL CODE REQUIREMENTS, CITY REQUIREMENTS AND DESIGN INTENT OF THE ELEVATION STYLE AS FOLLOWS:

WINDOWS MAY BE MULLED TOGETHER TO ACHIEVE WIDER EXPANSES OF GLASS, BUT SHALL NOT EXCEED 12' IN TOTAL WIDTH. WINDOWS MAY HAVE DIVIDED LITES, A 2 OVER 2, 4 OVER 1, 4 OVER 4, 6 OVER 1, OR 6 OVER 6 MUNTIN PATTERN. TRUE DIVIDED LITES ARE PREFERRED, SIMULATED DIVIDED LITES, BETWEEN THE GLASS, ARE ACCEPTABLE, AND REMOVABLE DIVIDED LITES, ON TOP OF THE GLASS, ARE PROHIBITED. WOOD AND COMPOSITE TRIM MATERIALS ARE PERMITTED. FOAM TRIM IS NOT ALLOWED.



- 1 STUCCO
  - 2 HORIZONTAL SIDING
  - 3 BOARD & BATT SIDING
  - 4 SHINGLE SIDING
  - 5 VINYL WINDOW
  - 6 WINDOW SHUTTER
  - 7 WROUGHT IRON RAILING
  - 8 STANDING SEAM METAL ROOF
  - 9 FLAT CONCRETE TILE ROOF
  - 10 S-TILE ROOF
  - 11 GARAGE DOOR
  - 12 STANDING SEAM METAL CANOPY
  - 13 WINDOW FOAM TRIM
  - 14 WINDOW WOOD TRIM
  - 15 STONE VENEER
  - 16 EXTERIOR LIGHTING
  - 17 UTILITY ROOM
  - 18 A/C LOCATION
- ELEVATION KEY NOTES



Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## MATERIALS AND COLORS BOARDS


FINAL DEVELOPMENT PLAN - PARCEL 10





- 1 STUCCO
- 2 HORIZONTAL SIDING
- 3 BOARD & BATT SIDING
- 4 SHINGLE SIDING
- 5 VINYL WINDOW
- 6 WINDOW SHUTTER
- 7 WROUGHT IRON RAILING
- 8 STANDING SEAM METAL ROOF
- 9 FLAT CONCRETE TILE ROOF
- 10 S-TILE ROOF
- 11 GARAGE DOOR
- 12 STANDING SEAM METAL CANOPY
- 13 WINDOW FOAM TRIM
- 14 WINDOW WOOD TRIM
- 15 STONE VENEER
- 16 EXTERIOR LIGHTING
- 17 UTILITY ROOM
- 18 A/C LOCATION

**ELEVATION KEY NOTES**




- |    |                            |
|----|----------------------------|
| 1  | STUCCO                     |
| 2  | HORIZONTAL SIDING          |
| 3  | BOARD & BATT SIDING        |
| 4  | SHINGLE SIDING             |
| 5  | VINYL WINDOW               |
| 6  | WINDOW SHUTTER             |
| 7  | WROUGHT IRON RAILING       |
| 8  | STANDING SEAM METAL ROOF   |
| 9  | FLAT CONCRETE TILE ROOF    |
| 10 | S-TILE ROOF                |
| 11 | GARAGE DOOR                |
| 12 | STANDING SEAM METAL CANOPY |
| 13 | WINDOW FOAM TRIM           |
| 14 | WINDOW WOOD TRIM           |
| 15 | STONE VENEER               |
| 16 | EXTERIOR LIGHTING          |
| 17 | UTILITY ROOM               |
| 18 | A/C LOCATION               |
- ELEVATION KEY NOTES**

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## MATERIALS AND COLORS BOARDS

FINAL DEVELOPMENT PLAN - PARCEL 10



- 1 STUCCO
  - 2 HORIZONTAL SIDING
  - 3 BOARD & BATT SIDING
  - 4 SHINGLE SIDING
  - 5 VINYL WINDOW
  - 6 WINDOW SHUTTER
  - 7 WROUGHT IRON RAILING
  - 8 STANDING SEAM METAL ROOF
  - 9 FLAT CONCRETE TILE ROOF
  - 10 S-TILE ROOF
  - 11 GARAGE DOOR
  - 12 STANDING SEAM METAL CANOPY
  - 13 WINDOW FOAM TRIM
  - 14 WINDOW WOOD TRIM
  - 15 STONE VENEER
  - 16 EXTERIOR LIGHTING
  - 17 UTILITY ROOM
  - 18 A/C LOCATION
- ELEVATION KEY NOTES**



- [1] STUCCO
  - [2] HORIZONTAL SIDING
  - [3] BOARD & BATT SIDING
  - [4] SHINGLE SIDING
  - [5] VINYL WINDOW
  - [6] WINDOW SHUTTER
  - [7] WROUGHT IRON RAILING
  - [8] STANDING SEAM METAL ROOF
  - [9] FLAT CONCRETE TILE ROOF
  - [10] S-TILE ROOF
  - [11] GARAGE DOOR
  - [12] STANDING SEAM METAL CANOPY
  - [13] WINDOW FOAM TRIM
  - [14] WINDOW WOOD TRIM
  - [15] STONE VENEER
  - [16] EXTERIOR LIGHTING
  - [17] UTILITY ROOM
  - [18] A/C LOCATION
- ELEVATION KEY NOTES

Imagery shown is to indicate design intent. Actual floorplans, colors or materials may vary slightly.

# OAK KNOLL

## MATERIALS AND COLORS BOARDS

FINAL DEVELOPMENT PLAN - PARCEL 10







- [1] STUCCO
  - [2] HORIZONTAL SIDING
  - [3] BOARD & BATT SIDING
  - [4] SHINGLE SIDING
  - [5] VINYL WINDOW
  - [6] WINDOW SHUTTER
  - [7] WROUGHT IRON RAILING
  - [8] STANDING SEAM METAL ROOF
  - [9] FLAT CONCRETE TILE ROOF
  - [10] S-TILE ROOF
  - [11] GARAGE DOOR
  - [12] STANDING SEAM METAL CANOPY
  - [13] WINDOW FOAM TRIM
  - [14] WINDOW WOOD TRIM
  - [15] STONE VENEER
  - [16] EXTERIOR LIGHTING
  - [17] UTILITY ROOM
  - [18] A/C LOCATION
- ELEVATION KEY NOTES

OAK KNOLL  **SunCal**